

California Health Laws Related to Recycled Water

"The Purple Book"

Excerpts from the Health and Safety Code, Water Code, and Titles 22 and 17 of the California Code of Regulations

Last Update: June 2001

The document is meant to be an aid to staff of the Drinking Water Program within the Department of Health Services Division of Drinking Water and Environmental Management. It should not be relied upon by the regulated community as the State of California's representation of the law, since the published codes are the only official representations of the law.

Published codes are available on the Internet at <http://www.leginfo.ca.gov/> (statutes) and <http://ccr.oal.ca.gov/> (regulations). They are also available at law libraries -- call your County Bar Association for the nearest location.

Every effort has been made to assure the accuracy of this compilation. Readers who find an error or who are aware of an omission should contact Jeff Stone of DHS' Recycled Water Unit at jstone1@dhs.ca.gov.

Table of Contents

HEALTH AND SAFETY CODE	Page
Division 104. Environmental Health Services	
Part 12. Drinking Water	
Chapter 4. California Safe Drinking Water Act	
ARTICLE 7. Requirements and Compliance	
Section	
116551. Augmentation of source with recycled water	1
Chapter 5. Water Equipment and Control	
ARTICLE 2. Cross-Connection Control by Water Users	
Section	
116800. Control of users	1
116805. Fees	2
116810. Certification of device testers	2
116815. Purple pipe for recycled water	2
116820. Violations	3
WATER CODE	
Division 7. Water Quality	
Chapter 2. Definitions	
Section	
13050. Terms used in this division	4
13051. Injection well	7
13169. Groundwater protection program	7
13274. Public water system rights	8
Chapter 6. Financial Assistance	
ARTICLE 1. State Water Quality Control Fund	
Section	
13400. Definitions	8
13401. Fund's continuing existence	8

ARTICLE 2. Loans to Local Agencies

Section		
13410.	Applications	9
13411.	DHS consultation	9
13412.	Repayment	10
13413.	Construction halted under health department orders	10
13414.	Funding monies repaid	10
13415.	Loans for studies and investigations	11
13416.	Election required to enter into loan contract	11
13417.	Election procedure	11
13418.	Tahoe moratorium	12

ARTICLE 2.5. Local Bonds

Section		
13425.	Applications	13
13426.	Consultation with DHS on determinations	13
13427.	Agreement by applicant	13
13428.	Clean Water Bond Guarantee Fund	14
13429.	Investment of money in fund	14
13430.	Limitation on authorization to guarantee bonds	14
13431.	Limitation on amounts paid	14
13432.	Annual fee	15
13433.	Rules and procedures authority	15

ARTICLE 3. State Water Pollution Cleanup and Abatement Account

Section		
13440.	Fund established	15
13441.	Sources of payment into account; availability for expenditure	15
13441.5.	Loans from fund to account	16
13442.	Use of monies to assist in clean-up	16
13443.	Use of money for unforeseen water pollution	16

Chapter 7. Reclamation

ARTICLE 1. Title

Section		
13500.	Title	17

ARTICLE 2. Legislative Findings and Intent

Section		
13510.	Public interest	17

13511.	Findings	17
13512.	Legislative intention	17
ARTICLE 3. Financial Assistance		
Section		
13515.	Authority to loan	17
ARTICLE 4. Regulation		
Section		
13520.	Recycling criteria	18
13521.	DHS establish criteria	18
13522.	Abatement by DHS or LHD order	18
13522.5.	Reports	18
13522.6.	Failure to report	19
13522.7.	Injunction	19
13523.	DHS recommendation requirement	19
13523.1.	Master permit requirements	20
13523.5.	Salinity exception	20
13524.	Establishment of criteria	21
13525.	TRO and injunction	21
13525.5.	Violation	21
13526.	Misdemeanor	21
13527.	Priority in financial assistance	21
13528.	DHS powers	22
13529.	Unauthorized discharges of recycled water	22
13529.2	Requirements if unauthorized discharge occurs	22
13529.4	Penalties	23
ARTICLE 5. Surveys and Investigations		
Section		
13530.	Duties of the department	24
ARTICLE 6. Waste Water Regulation		
Section		
13540.	DHS authority for findings and regulations	24
13541.	Waste well	24
ARTICLE 7. Waste Water Reuse		
Section		
13550.	Legislative findings	24
13551.	Industry and irrigation for restricted use of potable water prohibited; use of recycled water	25

13552.	Restriction on Sections 13550 and 13551	26
13552.2.	Legislative findings	26
13552.4.	Authority to require use of recycled water for residential landscaping	26
13552.6.	Legislative findings	27
13552.8.	Recycled water for floor trap priming, cooling towers, and air-conditioning	27
13553.	Legislative findings	29
13553.1	Legislative findings	29
13554.	Recycled water for toilet and urinal flushing	30
13554.2.	DHS fees	30
13554.3.	State Board fees	32
13555.2.	Legislative intent	32
13555.3.	Separate pipelines	32
13556.	Acquisition and provision of recycled water for beneficial use	33

Chapter 7.5. Water Recycling Act of 1991

Section		
13575.	Recycling Act Title	33
13576.	Legislative findings	34
13577.	Water recycling goal	35
13579.	Identification of potential uses	35
13580.	Application for recycled water supply	36
13580.5	Agreements	36
13580.7	Public agency retail water suppliers	37
13580.8	Retail water supplier regulated by the PUC	38
13580.9	City of West Covina	39
13581.	Formal mediation process	40
13581.2	Process for a retail water supplier regulated by the PUC	40
13582.	Construction of chapter	41
13583.	Noncompliance	41

Chapter 22. Graywater for Home Irrigation

Section		
14875.	Application of chapter	41
14875.1.	Department	41
14876.	Graywater definition	41
14877.	Graywater system definition	42
14877.1.	DHS consult on standards	42
14877.2.	Local administration	42
14877.3.	City or county - more stringent	42

Title 22, CALIFORNIA CODE OF REGULATIONS

DIVISION 4. ENVIRONMENTAL HEALTH

CHAPTER 1. INTRODUCTION

ARTICLE 1. Definitions

Section

60001. Department 43

60003. Director 43

CHAPTER 2. REGULATIONS FOR THE IMPLEMENTATION OF THE CALIFORNIA ENVIRONMENTAL QUALITY ACT

ARTICLE 1. General Requirements and Categorical Exemptions

Section

60100. General requirements 43

60101. Specific activities within categorical exempt classes 43

CHAPTER 3. WATER RECYCLING CRITERIA

ARTICLE 1 Definitions

Section

60301. Definitions 45

60301.100. Approved laboratory 45

60301.160. Coagulated wastewater 45

60301.170. Conventional treatment 45

60301.200. Direct beneficial use 45

60301.220. Disinfected secondary-2.2 recycled water 45

60301.225. Disinfected secondary-23 recycled water 45

60301.230. Disinfected tertiary recycled water 46

60301.240. Drift 46

60301.245. Drift eliminator 46

60301.250. Dual plumbed system 47

60301.300. F-Specific bacteriophage MS-2 47

60301.310. Facility 47

60301.320. Filtered wastewater 47

60301.330. Food crops 48

60301.400. Hose bibb 48

60301.550. Landscape impoundment 48

60301.600. Modal contact time 48

60301.620. Nonrestricted recreational impoundment 48

60301.630.	NTU	49
60301.650.	Oxidized wastewater	49
60301.660.	Peak dry weather design flow	49
60301.700.	Recycled water agency	49
60301.710.	Recycling plant	49
60301.740.	Regulatory agency	49
60301.750.	Restricted access golf course	49
60301.760.	Restricted recreational impoundment	50
60301.800.	Spray irrigation	50
60301.830.	Standby unit process	50
60301.900.	Undisinfected secondary recycled water	50
60301.920.	Use area	50
ARTICLE 2. Sources of Recycled Water		
Section		
60302.	Source specifications	50
ARTICLE 3. Uses of Recycled Water		
Section		
60303.	Exceptions	51
60304.	Use of recycled water for Irrigation	51
60305.	Use of recycled water for impoundments	53
60306.	Use of recycled water for cooling	53
60307.	Use of recycled water for other purposes	54
ARTICLE 4. Use Area Requirements.		
Section		
60310.	Use Area Requirements	55
ARTICLE 5. Dual Plumbed Recycled Water Systems		
Section		
60313.	General Requirements	59
60314.	Report Submittal	59
60315.	Design Requirements	60
60316.	Operation Requirements	60
ARTICLE 5.1. Groundwater recharge		
Section		
60320.	Groundwater recharge	61

ARTICLE 5.5. Other methods of treatment		
Section		
60320.5.	Other methods of treatment	62
ARTICLE 6. Sampling and analysis		
Section		
60321.	Sampling and Analysis	62
ARTICLE 7. Engineering Report and Operational Requirements		
Section		
60323.	Engineering report	62
60325.	Personnel	63
60327.	Maintenance	63
60329.	Operating records and reports	63
60331.	Bypass	64
ARTICLE 8. General Requirement of Design		
Section		
60333.	Flexibility of design	64
60335.	Alarms	64
60337.	Power supply	65
ARTICLE 9. Reliability Requirements for Primary Effluent		
Section		
60339.	Primary treatment	65
ARTICLE 10. Reliability Requirements for Full Treatment		
Section		
60341.	Emergency storage or disposal	65
60343.	Primary treatment	66
60345.	Biological treatment	67
60347.	Secondary sedimentation	67
60349.	Coagulation	67
60351.	Filtration	68
60353.	Disinfection	68
60355.	Other alternatives to reliability requirements	69

Title 17, CALIFORNIA CODE OF REGULATIONS

DIVISION 1. STATE DEPARTMENT OF HEALTH SERVICES

CHAPTER 5. SANITATION (ENVIRONMENTAL)

GROUP 4. DRINKING WATER SUPPLIES

ARTICLE 1. General

Section

7583.	Definitions	70
7584.	Responsibility and scope of program	71
7585.	Evaluation of hazard	72
7586.	User supervisor	72

ARTICLE 2. Protection of Water System

Section

7601.	Approval of backflow preventers	73
7602.	Construction of backflow preventers	73
7603.	Location of backflow preventers	73
7604.	Type of protection required	74
7605.	Testing and maintenance of backflow preventers	77

* * * * *

HEALTH AND SAFETY CODE

Division 104. Environmental Health Services

Part 12. Drinking Water

Chapter 4. California Safe Drinking Water Act

Article 7. Requirements and Compliance

116551. Augmentation of source with recycled water

The department shall not issue a permit to a public water system or amend a valid existing permit for the use of a reservoir as a source of supply that is directly augmented with recycled water, as defined in subdivision (n) of Section 13050 of the Water Code, unless the department does all of the following:

(a) Performs an engineering evaluation that evaluates the proposed treatment technology and finds that the proposed technology will ensure that the recycled water meets or exceeds all applicable primary and secondary drinking water standards and poses no significant threat to public health.

(b) Hold at least three duly noticed public hearings in the area where the recycled water is proposed to be used or supplied for human consumption to receive public testimony on that proposed use. The department shall make available to the public, not less than 10 days prior to the date of the first hearing held pursuant to this subdivision, the evaluations and findings made pursuant to subdivision (a).

Chapter 5. Water Equipment and Control

Article 2. Cross-Connection Control by Water Users

116800. Control of users

Local health officers may maintain programs for the control of cross-connections by water users, within the users' premises, where public exposure to drinking water contaminated by backflow may occur. The programs may include inspections within water users premises for the purpose of identifying cross-connection hazards and determining appropriate backflow protection. Water users shall comply with all orders, instructions, regulations, and notices from the local health officer with respect to the installation, testing, and maintenance of backflow prevention devices. The local health

officer may collect fees from those water users subject to inspection to offset the costs of implementing cross-connection control programs.

116805. Fees

(a) Local health officers may maintain programs, in cooperation with water suppliers, to protect against backflow through service connections into the public water supply, and, with the consent of the water supplier, may collect fees from the water supplier to offset the costs of implementing these programs.

(b) The fees authorized under this section and under Section 116800 shall be limited to the costs of administering these programs. At the discretion of the water supplier, the fees collected from the water supplier by the local health officer may be passed through to water users.

(c) Programs authorized under this section and Section 116800 shall be conducted in accordance with backflow protection regulations adopted by the department.

(d) Nothing in this article shall prevent a water supplier from directly charging those water users required to install backflow prevention devices for the costs of the programs authorized in this section and Section 116800.

116810. Certification of device testers

To assure that testing and maintenance of backflow prevention devices are performed by persons qualified to do testing and maintenance, local health officers may maintain programs for certification of backflow prevention device testers. The local health officer may suspend, revoke, or refuse to renew the certificate of a tester, if, after a hearing before the local health officer or his or her designee, the local health officer or his or her designee finds that the tester has practiced fraud or deception or has displayed gross negligence or misconduct in the performance of his or her duties as a certified backflow prevention device tester. The local health officer may collect fees from certified testers to offset the cost of the certification program provided pursuant to this section. The certification standards shall be consistent with the backflow protection regulations adopted by the department.

116815. Purple pipe for recycled water

(a) All pipes installed above or below the ground, on and after June 1, 1993, that are designed to carry recycled water, shall be colored purple or distinctively wrapped with purple tape.

(b) Subdivision (a) shall apply only in areas served by a water supplier delivering water for municipal and industrial purposes, and in no event shall apply to any of the following:

(1) Municipal or industrial facilities that have established a labeling or marking system for recycled water on their premises, as otherwise required by a local agency, that clearly distinguishes recycled water from potable water.

(2) Water delivered for agricultural use.

(c) For purposes of this section, "recycled water" has the same meaning as defined in subdivision (n) of Section 13050 of the Water Code.

116820. Violations

Any person who violates any provision of this article, violates any order of the local health officer pursuant to this article, or knowingly files a false statement or report required by the local health officer pursuant to this article is guilty of a misdemeanor punishable by a fine not exceeding five hundred dollars (\$500) or by imprisonment not exceeding 30 days in the county jail or by both such fine and imprisonment. Each day of a violation of any provision of this article or of any order of the local health officer beyond the time stated for compliance of the order shall be a separate offense.

WATER CODE

Division 7. Water Quality Chapter 2. Definitions

13050. Terms used in this division

As used in this division:

- (a) "State board" means the State Water Resources Control Board.
- (b) "Regional board" means any California regional water quality control board for a region as specified in Section 13200.
- (c) "Person" includes any city, county, district, the state, and the United States, to the extent authorized by federal law.
- (d) "Waste" includes sewage and any and all other waste substances, liquid, solid, gaseous, or radioactive, associated with human habitation, or of human or animal origin, or from any producing, manufacturing, or processing operation, including waste placed within containers of whatever nature prior to, and for purposes of, disposal.
- (e) "Waters of the state" means any surface water or groundwater, including saline waters, within the boundaries of the state.
- (f) "Beneficial uses" of the waters of the state that may be protected against quality degradation include, but are not limited to, domestic, municipal, agricultural and industrial supply; power generation; recreation; aesthetic enjoyment; navigation; and preservation and enhancement of fish, wildlife, and other aquatic resources or preserves.
- (g) "Quality of the water" refers to chemical, physical, biological, bacteriological, radiological, and other properties and characteristics of water which affect its use.
- (h) "Water quality objectives" means the limits or levels of water quality constituents or characteristics which are established for the reasonable protection of beneficial uses of water or the prevention of nuisance within a specific area.

(i) "Water quality control" means the regulation of any activity or factor which may affect the quality of the waters of the state and includes the prevention and correction of water pollution and nuisance.

(j) "Water quality control plan" consists of a designation or establishment for the waters within a specified area of all of the following:

(1) Beneficial uses to be protected.

(2) Water quality objectives.

(3) A program of implementation needed for achieving water quality objectives.

(k) "Contamination" means an impairment of the quality of the waters of the state by waste to a degree which creates a hazard to the public health through poisoning or through the spread of disease. "Contamination" includes any equivalent effect resulting from the disposal of waste, whether or not waters of the state are affected.

(l) (1) "Pollution" means an alteration of the quality of the waters of the state by waste to a degree which unreasonably affects either of the following:

(A) The waters for beneficial uses.

(B) Facilities which serve these beneficial uses.

(2) "Pollution" may include "contamination."

(m) "Nuisance" means anything which meets all of the following requirements:

(1) Is injurious to health, or is indecent or offensive to the senses, or an obstruction to the free use of property, so as to interfere with the comfortable enjoyment of life or property.

(2) Affects at the same time an entire community or neighborhood, or any considerable number of persons, although the extent of the annoyance or damage inflicted upon individuals may be unequal.

(3) Occurs during, or as a result of, the treatment or disposal of wastes.

(n) "Recycled water" means water which, as a result of treatment of waste, is suitable for a direct beneficial use or a controlled use that would not otherwise occur and is therefor considered a valuable resource.

(o) "Citizen or domiciliary" of the state includes a foreign corporation having substantial business contacts in the state or which is subject to service of process in this state.

(p) (1) "Hazardous substance" means either of the following:

(A) For discharge to surface waters, any substance determined to be a hazardous substance pursuant to Section 311(b)(2) of the Federal Water Pollution Control Act (33 U.S.C. Sec. 1251 et seq.).

(B) For discharge to groundwater, any substance listed as a hazardous waste or hazardous material pursuant to Section 25140 of the Health and Safety Code, without regard to whether the substance is intended to be used, reused, or discarded, except that "hazardous substance" does not include any substance excluded from Section 311 (b)(2) of the Federal Water Pollution Control Act because it is within the scope of Section 311(a)(1) of that act.

(2) "Hazardous substance" does not include any of the following:

(A) Nontoxic, nonflammable, and noncorrosive stormwater runoff drained from underground vaults, chambers, or manholes into gutters or storm sewers.

(B) Any pesticide which is applied for agricultural purposes or is applied in accordance with a cooperative agreement authorized by Section 116180 of the Health and Safety Code, and is not discharged accidentally or for purposes of disposal, the application of which is in compliance with all applicable state and federal laws and regulations.

(C) Any discharge to surface water of a quantity less than a reportable quantity as determined by regulations issued pursuant to Section 311(b)(4) of the Federal Water Pollution Control Act.

(D) Any discharge to land which results, or probably will result, in a discharge to groundwater if the amount of the discharge to land is less than a reportable quantity, as determined by regulations adopted pursuant to Section 13271, for substances listed as hazardous pursuant to Section 25140 of the Health and Safety Code. No discharge shall be deemed a discharge of a reportable quantity until regulations set a reportable quantity for the substance discharged.

(q) (1) "Mining waste" means all solid, semisolid, and liquid waste materials from the extraction, beneficiation, and processing of ores and minerals. Mining waste includes, but is not limited to, soil, waste rock, and overburden, as defined in Section 2732 of the Public Resources Code, and tailings, slag, and other processed waste materials, including cementitious materials that are managed at the cement manufacturing facility where the materials were generated.

(2) For the purposes of this subdivision, "cementitious material" means cement, cement kiln dust, clinker, and clinker dust.

(r) "Master recycling permit" means a permit issued to a supplier or a distributor, or both, of recycled water, that includes waste discharge requirements prescribed pursuant to Section 13263 and water recycling requirements prescribed pursuant to Section 13523.1.

13051. Injection well

As used in this division, "injection well" means any bored, drilled, or driven shaft, dug pit, or hole in the ground into which waste or fluid is discharged, and any associated subsurface appurtenances, and the depth of which is greater than the circumference of the shaft, pit, or hole.

13169. Groundwater protection program

(a) The state board is authorized to develop and implement a groundwater protection program as provided under the Safe Drinking Water Act, Section 300 and following of Title 42 of the United States Code, and any federal act that amends or supplements the Safe Drinking Water Act. The authority of the state board under this section includes, but is not limited to, the following:

(1) To apply for and accept state groundwater protection grants from the federal government.

(2) To take any additional action as may be necessary or appropriate to assure that the state's groundwater protection program complies with any federal regulations issued pursuant to the Safe Drinking Water Act or any federal act that amends or supplements the Safe Drinking Water Act.

(b) Nothing in this section is intended to expand the authority of the state board as authorized under the Porter-Cologne Water Quality Control Act (Div. 7 (commencing with Sec. 13000) Wat. C.).

13274. Public water system rights

(a) Notwithstanding any other provision of law, any public water system regulated by the State Department of Health Services shall have the same legal rights and remedies against a responsible party, when the water supply used by that public water system is contaminated, as those of a private land owner whose groundwater has been contaminated.

(b) For purposes of this section, "responsible party" has the same meaning as defined in Section 25323.5 of the Health and Safety Code.

Chapter 6. Financial Assistance

Article 1. State Water Quality Control Fund

13400. Definitions

As used in this chapter, unless otherwise apparent from the context:

(a) "Fund" means the State Water Quality Control Fund.

(b) "Public agency" means any city, county, city and county, district, or other political subdivision of the state.

(c) "Facilities" means:

(1) facilities for the collection, treatment, or export of waste when necessary to prevent water pollution,

(2) facilities to recycle wastewater and to convey recycled water,

(3) facilities or devices to conserve water, or

(4) any combination of the foregoing.

13401. Fund's continuing existence

(a) The State Water Quality Control Fund is continued in existence. The following moneys in the fund are appropriated, without regard to fiscal years, for expenditure by the state board in making loans to public agencies in accordance with this chapter:

(1) The balance of the original moneys deposited in the fund.

(2) Any money repaid to the fund.

(3) Any remaining balance of the money in the fund deposited therein after the specific appropriations for loans to the South Tahoe Public Utility District, the North Tahoe Public Utility District, the Tahoe City Public Utility District, the Truckee Sanitary District, and to any other governmental entity in the areas served by such districts have been made.

(b) Notwithstanding subdivision (a), upon the order of the state board, the money in the State Water Quality Control Fund shall be transferred to the State Water Pollution Control Revolving Fund.

Article 2. Loans to Local Agencies

13410. Applications

Applications for construction loans under this chapter shall include:

(a) A description of the proposed facilities.

(b) A statement of facts showing the necessity for the proposed facilities and showing that funds of the public agency are not available for financing such facilities and that the sale of revenue or general obligation bonds through private financial institutions is impossible or would impose an unreasonable burden on the public agency.

(c) A proposed plan for repaying the loan.

(d) Other information as required by the state board.

13411. DHS consultation

Upon a determination by the state board, after consultation with the State Department of Health, that

(a) the facilities proposed by an applicant are necessary to the health or welfare of the inhabitants of the state,

(b) that the proposed facilities meet the needs of the applicant,

(c) that funds of the public agency are not available for financing such facilities and that the sale of revenue or general obligation bonds through private financial institutions is impossible or would impose an unreasonable burden on the public agency,

(d) that the proposed plan for repayment is feasible,

(e) in the case of facilities proposed under Section 13400(c)(1) that such facilities are necessary to prevent water pollution,

(f) in the case of facilities proposed under Section 13400(c)(2) that such facilities will produce recycled water and that the public agency has adopted a feasible program for use thereof, and

(g) in the case of facilities proposed under Section 13400(c)(3) that such facilities are a cost effective means of conserving water, the state board, subject to approval by the Director of Finance, may loan to the applicant such sum as it determines is not otherwise available to the public agency to construct the proposed facilities.

13412. Repayment

No loan shall be made to a public agency unless it executes an agreement with the state board under which it agrees to repay the amount of the loan, with interest, within 25 years at 50 percent of the average interest rate paid by the state on general obligation bonds sold in the calendar year immediately preceding the year in which the loan agreement is executed.

13413. Construction halted under health department orders

It is the policy of this state that, in making construction loans under this article, the state board should give special consideration to facilities proposed to be constructed by public agencies in areas in which further construction of buildings has been halted by order of the State Department of Health or a local health department, or both, or notice has been given that such an order is being considered; provided, however, that the public agencies designated in this section shall otherwise comply with and meet all requirements of other provisions of this chapter.

13414. Funding monies repaid

All money received in repayment of loans under this chapter shall be paid to the State Treasurer and credited to the fund.

13415. Loans for studies and investigations

(a) Loans may be made by the state board to public agencies to pay not more than one-half of the cost of studies and investigations made by such public agencies in connection with waste water reclamation.

(b) Not more than a total of two hundred thousand dollars (\$200,00) shall be loaned pursuant to this section in any fiscal year, and not more than fifty thousand dollars (\$50,000) shall be loaned to any public agency in any fiscal year pursuant to this section. In the event that less than two million dollars (\$2,000,000) is available in any fiscal year for loans under this article, then not more than 10 percent of the available amount shall be available for loans for studies and investigations pursuant to this section.

(c) Applications for such loans shall be made in such form, and shall contain such information, as may be required by the state board.

(d) Such loans shall be repaid within a period not to exceed 10 years, with interest at a rate established in the manner provided in Section 13412.

13416. Election required to enter into loan contract

Before a public agency may enter into a contract with the state board for a construction loan under this chapter, the public agency shall hold an election on the proposition of whether or not the public agency shall enter into the proposed contract and more than 50 percent of the votes cast at such election must be in favor of such proposition.

13417. Election procedure

The election shall be held in accordance with the following provisions:

(a) The procedure for holding an election on the incurring of bonded indebtedness by such public agency shall be utilized for an election of the proposed contract as nearly as the same may be applicable. Where the law applicable to such agency does not contain such bond election procedure, the procedure set forth in the Revenue Bond Law of 1941 (Chapter 6 (commencing with Section 54300) Part 1, Division 2, Title 5 of the Government Code), as it may now or hereafter be amended, shall be utilized as nearly as the same may be applicable.

(b) No particular form of ballot is required.

(c) The notice of the election shall include a statement of the time and place of the election, the purpose of the election, the general purpose of the contract, and the maximum amount of money to be borrowed from the state under the contract.

(d) The ballots for the election shall contain a brief statement of the general purpose of the contract substantially as stated in the notice of the election, shall state the maximum amount of money to be borrowed from the state under the contract, and shall contain the words "Execution of contract --Yes" and "Execution of contract--No."

(e) The election shall be held in the entire public agency except where the public agency proposes to contract with the state board on behalf of a specified portion, or of specified portions of the public agency, in which case the election shall be held in such portion or portions of the public agency only.

13418. Tahoe moratorium

Notwithstanding any provision of this chapter or any other provision of law, including, but not limited to, the provisions of Chapter 47 and 137 of the Statutes of 1966, First Extraordinary Session, Chapter 1679 of the Statutes of 1967, Chapter 1356 of the Statutes of 1969, and Chapter 920 of the Statutes of 1970, or the provisions of any existing loan contract entered into pursuant to this chapter or any other such provision of law, there shall be a two-year moratorium following the effective date of this section on that portion of the principal and interest payments otherwise required in repayment of funds heretofore loaned to the North Tahoe Public Utility District, the Tahoe City Public Utility District, the South Tahoe Public Utility District, the Truckee Sanitary District, the Squaw Valley County Water District, and the Alpine Springs County Water District pursuant to this chapter or any act of the Legislature authorizing a state loan for the purpose of permitting any such agency to construct necessary sewage and storm drainage facilities to prevent and control water pollution in the area served by such agency, equal in percentage, as determined by the Department of Finance, to the percentage of property tax revenues lost to the agency by reason of the adoption of Article XIII A of the California Constitution, unless moneys are otherwise available for such repayment from state allocations or the sale of bonds authorized on or before July 1, 1978, but unissued. The provisions of this section do not apply to any sums which are required to be repaid immediately or in accordance with an accelerated time schedule pursuant to a duly entered stipulated judgment between the State of California and the Tahoe City Public Utility District. Interest on loans shall accrue during the moratorium period and be repaid by the recipients of the loans, in addition to the normal principal and interest payments.

Article 2.5 Local Bonds

13425. Applications

Applications for guarantees for local agency bonds under this chapter shall include:

- (a) A description of the proposed facilities.
- (b) A financing plan for the proposed facilities, including the amount of debt and maximum term to maturity of the proposed local agency bond issue and identification of sources of revenue that will be dedicated to payment of principal and interest on the bonds.
- (c) Other information as required by the state board. The state board may provide that the application may be combined with applications for any other source of funds administered by the state board.

13426. Consultation with DHS on determinations

The state board, subject to approval by the Director of Finance, may agree to provide a guarantee pursuant to this article for all or a specified part of the proposed local agency bond issue upon making, after consultation with the State Department of Health Services, all of the following determinations:

- (a) The facilities proposed by an applicant are necessary to the health or welfare of the inhabitants of the state and are consistent with water quality control plans adopted by regional boards.
- (b) The proposed facilities meet the needs of the applicant.
- (c) The proposed bond issue and plan repayment are sound and feasible.
- (d) In the case of facilities proposed under paragraph (2) of subdivision (c) of Section 13400, the facilities will produce recycled water and the applicant has adopted a feasible program for the use of the facilities. The state board may adopt criteria for ranking and setting priorities among applicants for those guarantees.

13427. Agreement by applicant

No guarantee shall be extended to any applicant unless it executes an agreement with the state board under which the applicant agrees to the following provisions:

- (a) To proceed expeditiously with, and complete, the proposed project.
- (b) To commence operation of the project on completion, and to properly operate and maintain the work in accordance with applicable provisions of law.
- (c) To issue bonds and to levy fines, charges, assessments, or taxes to pay the principal of, and interest on, the bonds as described in the application.
- (d) To diligently and expeditiously collect those levies, including timely exercise of available legal remedies in the event of delinquency or default.
- (e) To act in accordance with such other provisions as the state board may require.

13428. Clean Water Bond Guarantee Fund

Notwithstanding Section 13340 of the Government Code, the money in the Clean Water Bond Guarantee Fund, which is hereby created, is continuously appropriated to the state board without regard to fiscal years for the purposes of this chapter.

13429. Investment of money in fund

Money in the Clean Water Bond Guarantee Fund not needed for making payments on guaranteed bonds pursuant to this chapter shall be invested pursuant to law. All proceeds of the investment shall be deposited in that fund to the extent permitted by federal law.

13430. Limitation on authorization to guarantee bonds

The state board's authorization to guarantee bonds under this article shall be limited to bonds with a total principal amount of not more than 10 times the amount in the Clean Water Bond Guarantee Fund at the time the state board determines to extend each guarantee pursuant to Section 13426.

13431. Limitation on amounts paid

Under no circumstances shall the amount paid out as a result of bond guarantees extended pursuant to this article exceed the amount in the Clean Water Bond Guarantee Fund. This article does not express or imply any commitment by the state board or any other agency of the state to pay any money or levy any charge or tax or otherwise exercise its faith and credit on behalf of any local agency or bondholder beyond the funds in the Clean Water Bond Guarantee Fund.

13432. Annual Fee

The state board may charge an annual fee not to exceed one-tenth of 1 percent of the principal amount of each bond issue that it guarantees for guarantee coverage. The state board may charge a lesser amount. The proceeds of any fee shall be paid into the Clean Water Bond Guarantee Fund.

13433. Rules and procedures authority

The state board shall, by regulation, prescribe rules and procedures for all of the following:

- (a) To pay money from the Clean Water Bond Guarantee Fund to an insured local agency or bondholder in the event that the amount in the local agency's bond reserve fund falls below a minimum amount, or in the event of failure by the local agency to pay the principal of, or interest on, an insured bond issue on time, as the state board may require.
- (b) To require, by court action if necessary, a local agency to raise sewer service charges, levy additional assessments, collect charges or assessments, or foreclose or otherwise sell property as needed to prevent a reduction in the local agency's bond reserve fund, or to prevent default, or to collect funds to repay to the fund any payments made pursuant to subdivision (a).

Article 3. State Water Pollution Cleanup and Abatement Account

13440. Fund established

There is in the State Water Quality Control Fund the State Water Pollution Cleanup and Abatement Account (hereinafter called the "account"), to be administered by the state board.

13441. Sources of payment into account; availability for expenditure

There is to be paid into the account all moneys from the following sources:

- (a) All moneys appropriated by the Legislature for the account.
- (b) All moneys contributed to the account by any person and accepted by the state board.

(c) One-half of all moneys collected by way of criminal penalty and all moneys collected civilly under any proceeding brought pursuant to any provision of this division.

(d) All moneys collected by the state board for the account under Section 13304.

The first unencumbered five hundred thousand dollars (\$500,000) paid into the account in any given fiscal year is available without regard to fiscal years, for expenditure by the state board in accordance with the provisions of this article. The next unencumbered five hundred thousand dollars (\$500,000), or any portion thereof, deposited in any given fiscal year, is available for expenditure by the state board for the purposes of this article, subject to the provisions set forth in Section 28 of the Budget Act of 1984 (Chapter 258 of the Statutes of 1984). The next unencumbered one million dollars (\$1,000,000) deposited in the account in any given fiscal year is available for expenditure by the state board for the purposes of Section 13443. The remaining unencumbered funds deposited in the account in any given fiscal year is available without regard to fiscal years to the state board for expenditure for the purposes set forth in Section 13442.

13441.5. Loans from fund to account

The State Treasurer, when requested by the state board and approved by the Director of Finance, shall transfer moneys in the nature of a loan from the State Water Quality Control Fund to the account created pursuant to Section 13440, which shall be repayable from the account to such fund; provided, that the moneys transferred from the fund to the account shall not exceed the sum of twenty-five thousand dollars (\$25,000) at any one time.

13442. Use of monies to assist in clean-up

Upon application by a public agency with authority to clean up a waste or abate the effects thereof, the state board may order moneys to be paid from the account to the agency to assist it in cleaning up the waste or abating its effects on waters of the state. The agency shall not become liable to the state board for repayment of such moneys, but this shall not be any defense to an action brought pursuant to subdivision (b) of Section 13304 for the recovery of moneys paid hereunder.

13443. Use of money for unforeseen water pollution

Upon application by a regional board that is attempting to remedy a significant unforeseen water pollution problem, posing an actual or potential public health threat, and for which the regional board does not have adequate resources budgeted, the state board may order moneys to be paid from the account to the regional board to assist it in responding to the problem.

Chapter 7 Reclamation

Article 1. Title

13500. Title

This chapter shall be known as and may be cited as the Water Recycling Law.

Article 2. Legislative Findings and Intent

13510. Public interest

It is hereby declared that the people of the state have a primary interest in the development of facilities to recycle water containing waste to supplement existing surface and underground water supplies and to assist in meeting the future water requirements of the state.

13511. Findings

The Legislature finds and declares that a substantial portion of the future water requirements of this state may be economically met by beneficial use of recycled water. The Legislature further finds and declares that the utilization of recycled water by local communities for domestic, agricultural, industrial, recreational, and fish and wildlife purposes will contribute to the peace, health, safety and welfare of the people of the state. Use of recycled water constitutes the development of "new basic water supplies" as that term is used in Chapter 5 (commencing with Section 12880) of Part 6 of Division 6.

13512. Legislative intention

It is the intention of the Legislature that the state undertake all possible steps to encourage development of water recycling facilities so that recycled water may be made available to help meet the growing water requirements of the state.

Article 3. Financial Assistance

13515. Authority to loan

In order to implement the policy declarations of this chapter, the state board is authorized to provide loans for the development of water reclamation facilities, or for

studies and investigations in connection with water reclamation, pursuant to the provisions of Chapter 6 (commencing with Section 13400) of this division.

Article 4. Regulation

13520. Recycling criteria

As used in this article "recycling criteria" are the levels of constituents of recycled water, and means for assurance of reliability under the design concept which will result in recycled water safe from the standpoint of public health, for the uses to be made.

13521. DHS establishes recycling criteria

The State Department of Health Services shall establish uniform statewide recycling criteria for each varying type of use of recycled water where the use involves the protection of public health.

13522. Abatement by DHS or local health officer

(a) Whenever the State Department of Health Services or any local health officer finds that a contamination exists as a result of the use of recycled water, the department or local health officer shall order the contamination abated in accordance with the procedure provided for in Chapter 6 (commencing with Section 5400) of Part 3 of Division 5 of the Health and Safety Code.

(b) The use of recycled water in accordance with the uniform statewide recycling criteria established pursuant to Section 13521, for the purpose of this section, does not cause, constitute, or contribute to, any form of contamination, unless the department or the regional board determines that contamination exists.

13522.5. Reports

(a) Except as provided in subdivision (e), any person recycling or proposing to recycle water, or using or proposing to use recycled water, within any region for any purpose for which recycling criteria have been established, shall file with the appropriate regional board a report containing information required by the regional board.

(b) Except as provided in subdivision (e), every person recycling water or using recycled water shall file with the appropriate regional board a report of any material change or proposed change in the character of the recycled water or its use.

(c) Each report under this section shall be sworn to, or submitted under penalty of perjury.

(d) This section shall not be construed so as to require any report in the case of any producing, manufacturing, or processing operation involving the recycling of water solely for use in the producing, manufacturing, or processing operation.

(e) Except upon the written request of the regional board, a report is not required pursuant to this section from any user of recycled water which is being supplied by a supplier or distributor for whom a master recycling permit has been issued pursuant to Section 13523.1.

13522.6. Failure to report

Any person failing to furnish a report under Section 13522.5 when so requested by a regional board is guilty of a misdemeanor.

13522.7. Injunction

The Attorney General, at the request of the regional board, shall petition the superior court for the issuance of a temporary restraining order, temporary injunction or permanent injunction, or combination thereof, as may be appropriate, requiring any person not complying with Section 13522.5 to comply forthwith.

13523. DHS recommendation requirement

(a) Each regional board, after consulting with and receiving the recommendations of the State Department of Health Services and any party who has requested in writing to be consulted, and after any necessary hearing, shall, if in the judgment of the board, it is necessary to protect the public health, safety, or welfare, prescribe water reclamation requirements for water which is used or proposed to be used as reclaimed water.

(b) The requirements may be placed upon the person reclaiming water, the user, or both. The requirements shall be established in conformance with the uniform statewide reclamation criteria established pursuant to Section 13521. The regional board may require the submission of a preconstruction report for the purpose of determining compliance with the uniform statewide reclamation criteria. The requirements for a use of reclaimed water not addressed by the uniform statewide reclamation criteria shall be considered on a case-by-case basis.

13523.1. Master permit requirements

(a) Each regional board, after consulting with, and receiving the recommendations of, the State Department of Health Services and any party who has requested in writing to be consulted, with the consent of the proposed permittee, and after any necessary hearing, may, in lieu of issuing waste discharge requirements pursuant to Section 13263 or water reclamation requirements pursuant to Section 13523 for a user of reclaimed water, issue a master reclamation permit to a supplier or distributor, or both, of reclaimed water.

(b) A master reclamation permit shall include, at least, all of the following:

(1) Waste discharge requirements, adopted pursuant to Article 4 (commencing with Section 13260) of Chapter 4.

(2) A requirement that the permittee comply with the uniform statewide reclamation criteria established pursuant to Section 13521. Permit conditions for a use of reclaimed water not addressed by the uniform statewide water reclamation criteria shall be considered on a case-by-case basis.

(3) A requirement that the permittee establish and enforce rules or regulations for reclaimed water users, governing the design and construction of reclaimed water use facilities and the use of reclaimed water, in accordance with the uniform statewide reclamation criteria established pursuant to Section 13521.

(4) A requirement that the permittee submit a quarterly report summarizing reclaimed water use, including the total amount of reclaimed water supplied, the total number of reclaimed water use sites, and the locations of those sites, including the names of the hydrologic areas underlying the reclaimed water use sites.

(5) A requirement that the permittee conduct periodic inspections of the facilities of the reclaimed water users to monitor compliance by the users with the uniform statewide reclamation criteria established pursuant to Section 13521 and the requirements of the master reclamation permit.

(6) Any other requirements determined to be appropriate by the regional board.

13523.5. Salinity exception

A regional board may not deny issuance of water reclamation requirements to a project which violates only a salinity standard in the basin plan.

13524. Establishment of criteria

No person shall recycle water or use recycled water for any purpose for which recycling criteria have been established until water recycling requirements have been established pursuant to this article or a regional board determines that no requirements are necessary.

13525. TRO and injunction

Upon the refusal or failure of any person or persons recycling water or using recycled water to comply with the provisions of this article, the Attorney General, at the request of the regional board, shall petition the superior court for the issuance of a temporary restraining order, preliminary injunction, or permanent injunction, or combination thereof, as may be appropriate, prohibiting forthwith any person or persons from violating or threatening to violate the provisions of this article.

13525.5. Violation

Any person recycling water or using recycled water in violation of Section 13524, after such violation has been called to his attention in writing by the regional board, is guilty of a misdemeanor. Each day of such recycling or use shall constitute a separate offense.

13526. Misdemeanor

Any person who, after such action has been called to his attention in writing by the regional board, uses recycled water for any purpose for which recycling criteria have been established prior to the establishment of water recycling requirements, is guilty of a misdemeanor.

13527. Priority in financial assistance

(a) In administering any statewide program of financial assistance for water pollution or water quality control which may be delegated to it pursuant to Chapter 6 (commencing with Section 13400) of this division, the state board shall give added consideration to water quality control facilities providing optimum water recycling and use of recycled water.

(b) Nothing in this chapter prevents the appropriate regional board from establishing waste discharge requirements if a discharge is involved.

13528. DHS powers

No provision of this chapter shall be construed as affecting the existing powers of the State Department of Health Services.

13529. Unauthorized discharges of recycled water

The Legislature hereby finds and declares all of the following:

- (a) The purpose of Section 13529.2 is to establish notification requirements for unauthorized discharges of recycled water to waters of the state.
- (b) It is the intent of the Legislature in enacting this section to promote the efficient and safe use of recycled water.
- (c) The people of the state have a primary interest in the development of facilities to recycle water to supplement existing water supplies and to minimize the impacts of growing demand for new water on sensitive natural water bodies.
- (d) A substantial portion of the future water requirements of the state may be economically met by the beneficial use of recycled water.
- (e) The Legislature has established a statewide goal to recycle 700,000 acre-feet of water per year by the year 2000 and 1,000,000 acre-feet of water per year by the year 2010.
- (f) The use of recycled water has proven to be safe and the State Department of Health Services is drafting regulations to provide for expanded uses of recycled water.

13529.2. Requirements if unauthorized discharge occurs

(a) Any person who, without regard to intent or negligence, causes or permits an unauthorized discharge of 50,000 gallons or more of recycled water, as defined in subdivision (c), or 1,000 gallons or more of recycled water, as defined in subdivision (d), in or on any waters of the state , or causes or permits such unauthorized discharge to be discharged where it is, or probably will be, discharged in or on any waters of the state, shall, as soon as

- (1) that person has knowledge of the discharge,
- (2) notification is possible, and

(3) notification can be provided without substantially impeding cleanup or other emergency measures, immediately notify the appropriate regional board.

(b) For the purposes of this section, an unauthorized discharge means a discharge not authorized by waste discharge requirements pursuant to Article 4 of Chapter 4 (commencing with Section 13260), water reclamation requirements pursuant to Section 13523, a master reclamation permit pursuant to Section 13523.1, or any other provision of this division.

(c) For the purposes of this section, "recycled water" means wastewater treated as "disinfected tertiary 2.2 recycled water," as defined or described by the State Department of Health Services or wastewater receiving advanced treatment beyond disinfected tertiary 2.2 recycled water.

(d) For purposes of this section, "recycled water" means "recycled water," as defined in subdivision (n) of Section 13050, which is treated at a level less than "disinfected tertiary 2.2 recycled water," as defined or described by the State Department of Health Services.

(e) The requirements in this section supplement, and shall not supplant, any other provisions of law.

13529.4. Penalties

(a) Any person refusing or failing to provide the notice required by Section 13529.2, or as required by a condition of waste discharge requirements requiring notification of unauthorized releases of recycled water as defined in Section 13529.2, may be subject to administrative civil liability in an amount not to exceed the following:

(1) For the first violation, or a subsequent violation occurring more than 365 days from a previous violation, five thousand dollars (\$5,000).

(2) For a second violation occurring within 365 days of a previous violation, ten thousand dollars (\$10,000).

(3) For a third or subsequent violation occurring within 365 days of a previous violation, twenty-five thousand dollars (\$25,000).

(b) The penalties in this section supplement, and shall not supplant, any other provisions of law.

Article 5. Surveys and Investigations

13530. Duties of the department

The department, either independently or in cooperation with any person or any county, state, federal, or other agency, or on request of the state board, to the extent funds are allocated therefor, shall conduct surveys and investigations relating to the reclamation of water from waste pursuant to Section 230.

Article 6 Waste Water Regulation

13540. DHS authority for findings and regulations

No person shall construct, maintain or use any waste well extending to or into a subterranean water-bearing stratum that is used or intended to be used as, or is suitable for, a source of water supply for domestic purposes. Notwithstanding the foregoing, when a regional board finds that water quality considerations do not preclude controlled recharge of such stratum by direct injection, and when the State Department of Health Services, following a public hearing, finds the proposed recharge will not impair the quality of water in the receiving aquifer as a source of water supply for domestic purposes, recycled water may be injected by a well into such stratum. The State Department of Health Services may make and enforce such regulations pertaining thereto as it deems proper. Nothing in this section shall be construed to affect the authority of the state board or regional boards to prescribe and enforce requirements for such discharge.

13541. Waste well

As used in this article, "waste well" includes any hole dug or drilled into the ground, used or intended to be used for the disposal of waste.

Article 7. Waste Water Reuse

13550. Legislative findings

(a) The Legislature hereby finds and declares that the use of potable domestic water for nonpotable uses, including, but not limited to, cemeteries, golf courses, parks, highway landscaped areas, and industrial and irrigation uses, is a waste or an unreasonable use of the water within the meaning of Section 2 of Article X of the California Constitution if recycled water is available which meets all of the following conditions, as determined by

the state board, after notice to any person or entity who may be ordered to use recycled water or to cease using potable water and a hearing held pursuant to Article 2 (commencing with Section 648) of Chapter 1.5 of Division 3 of Title 23 of the California Code of Regulations:

(1) The source of recycled water is of adequate quality for these uses and is available for these uses. In determining adequate quality, the state board shall consider all relevant factors, including, but not limited to, food and employee safety, and level and types of specific constituents in the recycled water affecting these uses, on a user-by-user basis. In addition, the state board shall consider the effect of the use of recycled water in lieu of potable water on the generation of hazardous waste and on the quality of wastewater discharges subject to regional, state, or federal permits.

(2) The recycled water may be furnished for these uses at a reasonable cost to the user. In determining reasonable cost, the state board shall consider all relevant factors, including, but not limited to, the present and projected costs of supplying, delivering, and treating potable domestic water for these uses and the present and projected costs of supplying and delivering recycled water for these uses, and shall find that the cost of supplying the treated recycled water is comparable to, or less than, the cost of supplying potable domestic water.

(3) After concurrence with the State Department of Health Services, the use of recycled water from the proposed source will not be detrimental to public health.

(4) The use of recycled water for these uses will not adversely affect downstream water rights, will not degrade water quality, and is determined not to be injurious to plantlife, fish, and wildlife.

(b) In making the determination pursuant to subdivision (a), the state board shall consider the impact of the cost and quality of the nonpotable water on each individual user.

(c) The state board may require a public agency or person subject to this article to furnish information which the state board determines to be relevant to making the determination required in subdivision (a).

13551. Industry and irrigation for restricted use of potable water prohibited: use of recycled water

A person or public agency, including a state agency, city, county, city and county, district, or any other political subdivision of the state, shall not use water from any

source of quality suitable for potable domestic use for nonpotable uses, including cemeteries, golf courses, parks, highway landscaped areas, and industrial and irrigation uses if suitable recycled water is available as provided in Section 13550; however, any use of recycled water in lieu of water suitable for potable domestic use shall, to the extent of the recycled water so used, be deemed to constitute a reasonable beneficial use of that water and the use of recycled water shall not cause any loss or diminution of any existing water right.

13552. Restrictions on Sections 13550 and 13551

The amendments to Sections 13550 and 13551 of the Water Code made during the first year of the 1991-92 Regular Session are not intended to alter any rights, remedies, or obligations which may exist prior to January 1, 1992, pursuant to, but not limited to, those sections or Chapter 8.5 (commencing with Section 1501) of Part 1 of Division 1 of the Public Utilities Code.

13552.2. Legislative findings

(a) The Legislature hereby finds and declares that the use of potable domestic water for the irrigation of residential landscaping is a waste or an unreasonable use of water within the meaning of Section 2 of Article X of the California Constitution if recycled water, for this use, is available to the residents and meets the requirements set forth in Section 13550, as determined by the state board after notice and a hearing.

(b) The state board may require a public agency or person subject to this section to submit information that the state board determines may be relevant in making the determination required in subdivision (a).

13552.4. Authority to require use of recycled water for residential landscaping

(a) Any public agency, including a state agency, city, county, city and county, district, or any other political subdivision of the state, may require the use of recycled water for irrigation of residential landscaping, if all of the following requirements are met:

(1) Recycled water, for this use, is available to the user and meets the requirements set forth in Section 13550, as determined by the state board after notice and a hearing.

(2) The use of recycled water does not cause any loss or diminution of any existing water right.

(3) The irrigation systems are constructed in accordance with Chapter 3 (commencing with Section 60301) of Division 4 of Title 22 of the California Code Regulations.

(b) This section applies to both of the following:

(1) New subdivisions for which the building permit is issued on or after March 15, 1994, or, if a building permit is not required, new structures for which construction begins on or after March 15, 1994, for which the State Department of Health Services has approved the use of recycled water.

(2) Any residence that is retrofitted to permit the use of recycled water for landscape irrigation and for which the State Department of Health Services has approved the use of recycled water.

(c) (1) Division 13 (commencing with Section 21000) of the Public Resources Code does not apply to any project which only involves the repiping, redesign, or use of recycled water for irrigation of residential landscaping necessary to comply with a requirement prescribed by a public agency under subdivision (a).

(2) The exemption in paragraph (1) does not apply to any project to develop recycled water, to construct conveyance facilities for recycled water, or any other project not specified in this subdivision.

13552.6. Legislative findings

(a) The Legislature hereby finds and declares that the use of potable domestic water for floor trap priming, cooling towers, and air-conditioning devices is a waste or an unreasonable use of water within the meaning of Section 2 of Article X of the California Constitution if recycled water, for these uses, is available to the user, and the water meets the requirements set forth in Section 13550, as determined by the state board after notice and a hearing.

(b) The state board may require a public agency or person subject to this section to submit information that the state board determines may be relevant in making the determination required in subdivision (a).

13552.8. Recycled water for floor trap priming, cooling towers, and air-conditioning

(a) Any public agency, including a state agency, city, county, city and county, district, or any other political subdivision of the state, may require the use of recycled water in floor

trap priming, cooling towers, and air-conditioning devices, if all of the following requirements are met:

- (1) Recycled water, for these uses, is available to the user and meets the requirements set forth in Section 13550, as determined by the state board after notice and a hearing.
- (2) The use of recycled water does not cause any loss or diminution of any existing water right.
- (3) If public exposure to aerosols, mist, or spray may occur, appropriate mist mitigation or mist control is provided, such as the use of mist arrestors or the addition of biocides to the water in accordance with criteria established pursuant to Section 13521.
- (4) The person intending to use recycled water has prepared an engineering report pursuant to Section 60323 of Title 22 of the California Code of Regulations that includes plumbing design, cross-connection control, and monitoring requirements for the public agency, which are in compliance with criteria established pursuant to Section 13521.

(b) This section applies to both of the following:

- (1) New industrial facilities and subdivisions for which the building permit is issued on or after March 15, 1994, or, if a building permit is not required, new structures for which construction begins on or after March 15, 1994, for which the State Department of Health Services has approved the use of recycled water.
- (2) Any structure that is retrofitted to permit the use of recycled water for floor traps, cooling towers, or air-conditioning devices, for which the State Department of Health Services has approved the use of recycled water.

- (c)
- (1) Division 13 (commencing with Section 21000) of the Public Resources Code does not apply to any project which only involves the repiping, redesign, or use of recycled water for floor trap priming, cooling towers, or air-conditioning devices necessary to comply with a requirement prescribed by a public agency under subdivision (a).
 - (2) The exemption in paragraph (1) does not apply to any project to develop recycled water, to construct conveyance facilities for recycled water, or any other project not specified in this subdivision.

13553. Legislative findings

(a) The Legislature hereby finds and declares that the use of potable domestic water for toilet and urinal flushing in structures is a waste or an unreasonable use of water within the meaning of Section 2 of Article X of the California Constitution if recycled water, for these uses, is available to the user and meets the requirements set forth in Section 13550, as determined by the state board after notice and a hearing.

(b) The state board may require a public agency or person subject to this section to furnish whatever information may be relevant to making the determination required in subdivision (a).

(c) For the purposes of this section and Section 13554, "structure" or "structures" means commercial, retail, and office buildings, theaters, auditoriums, schools, hotels, apartments, barracks, dormitories, jails, prisons, and reformatories, and other structures as determined by the State Department of Health Services.

(d) Nothing in this section or Section 13554 applies to a pilot program adopted pursuant to Section 13553.1.

13553.1. Legislative findings

(a) The Legislature hereby finds and declares that certain coastal areas of the state have been using sea water to flush toilets and urinals as a means of conserving potable water; that this practice precludes the beneficial reuse of treated wastewater and has had a deleterious effect on the proper wastewater treatment process, and has led to corrosion of the sea water distribution pipelines and wastewater collection systems; and that this situation must be changed.

(b) There is a need for a pilot program to demonstrate that conversion to the use of recycled water in residential buildings for toilet and urinal flushing does not pose a threat to public health and safety.

(c) A city that is providing a separate distribution system for sea water for use in flushing toilets and urinals in residential structures may, by ordinance, authorize the use of recycled water for the flushing of toilets and urinals in residential structures if the level of treatment and the use of the recycled water meets the criteria set by the State Department of Health Services.

13554. Recycled water for toilet and urinal flushing

(a) Any public agency, including a state agency, city, county, city and county, district, or any other political subdivision of the state, may require the use of recycled water for toilet and urinal flushing in structures, except a mental hospital or other facility operated by a public agency for the treatment of persons with mental disorders, if all of the following requirements are met:

(1) Recycled water, for these uses, is available to the user and meets the requirements set forth in Section 13550, as determined by the state board after notice and a hearing.

(2) The use of recycled water does not cause any loss or diminution of any existing water right.

(3) The public agency has prepared an engineering report pursuant to Section 60323 of Title 22 of the California Code of Regulations that includes plumbing design, cross-connection control, and monitoring requirements for the use site, which are in compliance with criteria established pursuant to Section 13521.

(b) This section applies only to either of the following:

(1) New structures for which the building permit is issued on or after March 15, 1992, or, if a building permit is not required, new structures for which construction begins on or after March 15, 1992.

(2) Any construction pursuant to subdivision (a) for which the State Department of Health Services has, prior to January 1, 1992, approved the use of recycled water.

(c) Division 13 (commencing with Section 21000) of the Public Resources Code does not apply to any project which only involves the repiping, redesign, or use of recycled water by a structure necessary to comply with a requirement issued by a public agency under subdivision (a). This exemption does not apply to any project to develop recycled water, to construct conveyance facilities for recycled water, or any other project not specified in this subdivision.

13554.2. DHS fees

(a) Any person or entity proposing the use of recycled water shall reimburse the State Department of Health Services for reasonable costs that department actually incurs in performing duties pursuant to this chapter.

(b) (1) Upon a request from the person or entity proposing the use of recycled water, the State Department of Health Services shall, within a reasonable time after the receipt of the request, provide an estimate of the costs that it will reasonably incur in the performance of its duties pursuant to this chapter.

(2) For purposes of implementing subdivision (a), that department shall maintain a record of its costs. In determining those costs, that department may consider costs that include, but are not limited to, costs relating to personnel requirements, materials, travel, and office overhead. The amount of reimbursement shall be equal to, and may not exceed, that department's actual costs.

(c) With the consent of the person or entity proposing the use of recycled water, the State Department of Health Services may delegate all or part of the duties that department performs pursuant to this chapter within a county to a local health agency authorized by the board of supervisors to assume these duties, if, in the judgment of that department, the local health agency can perform these duties. Any person or entity proposing the use of recycled water shall reimburse the local health agency for reasonable costs that the local health agency actually incurs in the performance of its duties delegated pursuant to this subdivision.

(d) (1) Upon a request from the person or entity proposing the use of recycled water, the local health agency shall, within a reasonable time after the receipt of the request, provide an estimate of the cost it will reasonably incur in the performance of its duties delegated under subdivision (c).

(2) The local health agency, if delegated duties pursuant to subdivision (c), shall maintain a record of its costs that include, but is not limited to, costs relating to personnel requirements, materials, travel, and office overhead. The amount of reimbursement shall be equal to, and may not exceed, the local health agency's actual costs.

(e) The State Department of Health Services or local health agency shall complete its review of a proposed use of recycled water within a reasonable period of time. That department shall submit to the person or entity proposing the use of recycled water a written determination as to whether the proposal submitted is complete for purposes of review within 30 days from the date of receipt of the proposal and shall approve or disapprove the proposed use within 30 days from the date on which that department determines that the proposal is complete.

(f) An invoice for reimbursement of services rendered shall be submitted to the person or entity proposing the use of recycled water subsequent to completion of review of the

proposed use, or other services rendered, that specifies the number of hours spent by the State Department of Health Services or local health agency, specific tasks performed, and other costs actually incurred. Supporting documentation, including receipts, logs, timesheets, and other standard accounting documents, shall be maintained by that department or local health agency and copies, upon request, shall be provided to the person or entity proposing the use of recycled water.

(g) For the purposes of this section, "person or entity proposing the use of recycled water" means the producer or distributor of recycled water submitting a proposal to the department.

13554.3. State Board fees

The State Water Resources Control Board may establish a reasonable schedule of fees by which it is reimbursed for the costs it incurs pursuant to Sections 13553 and 13554.

13555.2. Legislative intent

The Legislature hereby finds and declares that many local agencies deliver recycled water for nonpotable uses and that the use of recycled water is an effective means of meeting the demands for new water caused by drought conditions or population increases in the state. It is the intent of the Legislature to encourage the design and construction of water delivery systems on private property that deliver water for both potable and nonpotable uses in separate pipelines.

13555.3. Separate pipelines

(a) Water delivery systems on private property that could deliver recycled water for nonpotable uses described in Section 13550, that are constructed on and after January 1, 1993, shall be designed to ensure that the water to be used for only potable domestic uses is delivered, from the point of entry to the private property to be served, in a separate pipeline which is not used to deliver the recycled water.

(b) This section applies to water delivery systems on private property constructed within either of the following jurisdictions:

(1) One that has an urban water management plan that includes the intent to develop recycled water use.

(2) One that does not have an urban water management plan that includes recycled water use, but that is within five miles of a jurisdiction that does have an

urban water management plan that includes recycled water use, and has indicated a willingness to serve the water delivery system.

(c) This section does not preempt local regulation of the delivery of water for potable and nonpotable uses and any local governing body may adopt requirements which are more restrictive than the requirements of this section.

13556. Acquisition and provision of recycled water for beneficial use

In addition to any other authority provided in law, any water supplier described in subdivision (b) of Section 1745 may acquire, store, provide, sell, and deliver recycled water for any beneficial use, including, but not limited to, municipal, industrial, domestic, and irrigation uses, if the water use is in accordance with statewide recycling criteria and regulations established pursuant to this chapter.

Chapter 7.5. Water Recycling Act of 1991

13575. Recycling Act title

(a) This chapter shall be known and may be cited as the Water Recycling Act of 1991.

(b) As used in this chapter, the following terms have the following meanings:

(1) "Customer" means a person or entity that purchases water from a retail water supplier.

(2) "Entity responsible for groundwater replenishment" means any person or entity authorized by statute or court order to manage a groundwater basin and acquire water for groundwater replenishment.

(3) "Recycled water" has the same meaning as defined in subdivision (n) of Section 13050.

(4) "Recycled water producer" means any local public entity that produces recycled water.

(5) "Recycled water wholesaler" means any local public entity that distributes recycled water to retail water suppliers and which has constructed, or is constructing, a recycled water distribution system.

(6) "Retail water supplier" means any local entity, including a public agency, city, county, or private water company, that provides retail water service.

(7) "Retailer" means the retail water supplier in whose service area is located the property to which a customer requests the delivery of recycled water service.

13576. Legislative findings

The Legislature hereby makes the following findings and declarations:

(a) The State of California is subject to periodic drought conditions.

(b) The development of traditional water resources in California has not kept pace with the state's population, which is growing at the rate of over 700,000 per year and which is anticipated to reach 36 million by the year 2010.

(c) There is a need for a reliable source of water for uses not related to the supply of potable water to protect investments in agriculture, greenbelts, and recreation and to replenish groundwater basins, and protect and enhance fisheries, wildlife habitat, and riparian areas.

(d) The environmental benefits of recycled water include a reduced demand for water in the Sacramento-San Joaquin Delta which is otherwise needed to maintain water quality, reduced discharge of waste into the ocean, and the enhancement of groundwater basins, recreation, fisheries, and wetlands.

(e) The use of recycled water has proven to be safe from a public health standpoint, and the State Department of Health Services is updating regulations for the use of recycled water.

(f) The use of recycled water is a cost-effective, reliable method of helping to meet California's water supply needs.

(g) The development of the infrastructure to distribute recycled water will provide jobs and enhance the economy of the state.

(h) Retail water suppliers and recycled water producers and wholesalers should promote the substitution of recycled water for potable water and imported water in order to maximize the appropriate cost-effective use of recycled water in California.

(i) Recycled water producers, retail water suppliers, and entities responsible for groundwater replenishment should cooperate in joint technical, economic, and

environmental studies, as appropriate, to determine the feasibility of providing recycled water service.

(j) Retail water suppliers and recycled water producers and wholesalers should be encouraged to enter into contracts to facilitate the service of recycled and potable water by the retail water suppliers in their service areas in the most efficient and cost-effective manner

(k) Recycled water producers and wholesalers and entities responsible for groundwater replenishment should be encouraged to enter into contracts to facilitate the use of recycled water for groundwater replenishment if recycled water is available and the authorities having jurisdiction approve its use.

(l) Wholesale prices set by recycled water producers and recycled water wholesalers, and rates that retail water suppliers are authorized to charge for recycled water, should reflect an equitable sharing of the costs and benefits associated with the development and use of recycled water.

13577. Water recycling goal

This chapter establishes a statewide goal to recycle a total of 700,000 acre-feet of water per year by the year 2000 and 1,000,000 acre-feet of water per year by the year 2010.

13579. Identification of potential uses

(a) In order to achieve the goals established in Section 13577, retail water suppliers shall identify potential uses for recycled water within their service areas, potential customers for recycled water service within their service areas, and, within a reasonable time, potential sources of recycled water.

(b) Recycled water producers and recycled water wholesalers may also identify potential uses for recycled water, and may assist retail water suppliers in identifying potential customers for recycled water service within the service areas of those retail water suppliers.

(c) Recycled water producers, retail water suppliers, and entities responsible for groundwater replenishment may cooperate in joint technical, economic, and environmental studies, as appropriate, to determine the feasibility of providing recycled water service and recycled water for groundwater replenishment consistent with the criteria set forth in paragraphs (1) to (3), inclusive, of subdivision (a) of Section 13550 and in accordance with Section 60320 of Title 22 of the California Code of Regulations.

13580. Application for recycled water supply

(a) A retail water supplier that has identified a potential use or customer pursuant to Section 13579 may apply to a recycled water producer or recycled water wholesaler for a recycled water supply.

(b) A recycled water producer or recycled water wholesaler that has identified a potential use or customer pursuant to Section 13579 may, in writing, request a retail water supplier to enter into an agreement to provide recycled water to the potential customer.

(c) A customer may request, in writing, a retailer to enter into an agreement to provide recycled water to the customer.

(d) (1) An entity responsible for groundwater replenishment that is a customer of a retail water supplier and that has identified the potential use of recycled water for groundwater replenishment purposes may, in writing, request that retail water supplier to enter into an agreement to provide recycled water for that purpose. That entity may not obtain recycled water for that purpose from a recycled water producer, a recycled water wholesaler, or another retail water supplier without the agreement of the entity's retail water supplier.

(2) An entity responsible for groundwater replenishment that is not a customer of a retail water supplier and that has identified the potential use of recycled water for groundwater replenishment purposes may, in writing, request a retail water supplier, a recycled water producer, or a recycled water wholesaler to enter into an agreement to provide recycled water for that purpose.

13580.5. Agreements

(a) (1) Subject to subdivision (e) of Section 13580.7, a retail water supplier that receives a request from a customer pursuant to subdivision (c) of Section 13580 shall enter into an agreement to provide recycled water, if recycled water is available, or can be made available, to the retail water supplier for sale to the customer.

(2) Notwithstanding paragraph (1), in accordance with a written agreement between a recycled water producer or a recycled water wholesaler and a retail water supplier, the retail water supplier may delegate to a recycled water producer or a recycled water wholesaler its responsibility under this section to provide recycled water.

(b) A customer may not obtain recycled water from a recycled water producer, a recycled water wholesaler, or a retail water supplier that is not the retailer without the agreement of the retailer.

(c) If either a recycled water producer or a recycled water wholesaler provides a customer of a retail water supplier with a written statement that it can and will provide recycled water to the retailer, the retail water supplier shall, not later than 120 days from the date on which the retail water supplier receives the written statement from the customer, by certified mail, return receipt requested, submit a written offer to the customer. A determination of availability pursuant to Section 13550 is not required.

(d) If the state board pursuant to Section 13550 makes a determination that there is available recycled water to serve a customer of a retail water supplier, the retail water supplier, not later than 120 days from the date on which the retail water supplier receives a copy of that determination from the customer, by certified mail, return receipt requested, shall submit a written offer to the customer.

13580.7. Public Agency Retail Water Suppliers

(a) This section applies only to a retail water supplier that is a public agency.

(b) A customer may request, in writing, a retail water supplier to enter into an agreement or adopt recycled water rates in order to provide recycled water service to the customer. The retail water supplier, by certified mail return receipt requested, shall submit a written offer to the customer not later than 120 days from the date on which the retail water supplier receives the written request from the customer.

(c) If no rate is in effect for recycled water service within the service area of a retail water supplier, the rate and conditions for recycled water service shall be established by contract between the retail water supplier and the customer, not later than 120 days from the date on which the customer requests a contract, or, by resolution or ordinance by the retail water supplier, not later than 120 days from the date on which the retail water supplier receives the customer's written request for an ordinance or resolution.

(d) A rate for recycled water service established by contract, ordinance, or resolution, shall reflect a reasonable relationship between the amount of the rate and the retail cost of obtaining or producing the recycled water, the cost of conveying the recycled water, and overhead expenses for providing recycled water service. Capital costs of facilities required to serve the customer shall be amortized over the economic life of the facility, or the length of time the customer agrees to purchase recycled water, whichever is less. The rate shall not exceed the estimated reasonable cost of providing the service, and

any additional costs agreed to by the customer for recycled water supplemental treatment.

(e) The rate for recycled water shall be comparable to, or less than, the retail water supplier's rate for potable water. If recycled water service cannot be provided at a rate comparable to, or less than, the rate for potable water, the retail water supplier is not required to provide the recycled water service, unless the customer agrees to pay a rate that reimburses the retail water supplier for the costs described in subdivision (c).

(f) The offer required by subdivisions (c) and (d) of Section 13580.5 shall identify all of the following:

- (1) The source for the recycled water.
- (2) The method of conveying the recycled water.
- (3) A schedule for delivery of the recycled water.
- (4) The terms of service.
- (5) The rate for the recycled water, including the per-unit cost for that water.
- (6) The costs necessary to provide service and the basis for determining those costs.

(g) This section does not apply to recycled water service rates established before January 1, 1999, or any amendments to those rates.

13580.8. Retail water supplier regulated by the PUC

(a) This section applies only to a retail water supplier that is regulated by the Public Utilities Commission.

(b) Rates for recycled water that is provided to the customer by a retail water supplier regulated by the Public Utilities Commission shall be established by the commission pursuant to Section 455.1 of the Public Utilities Code. A regulated water utility may request the commission to establish the rate or rates for the delivery of recycled or nonpotable water, with the objective of providing, where practicable, a reasonable economic incentive for the customer to purchase recycled or nonpotable water in place of potable water.

(c) A regulated water utility may propose a rate or rates for recycled or nonpotable water by tariff or by contract between the retail water supplier and the customer. Where the rate or rates are set by contract, the water utility and its customer shall meet, confer, and negotiate in good faith to establish a contract rate.

(d) The commission shall, as appropriate, provide a discount from the general metered rate of the water utility for potable water by either of the following means:

(1) Passing through to the customer the net reduction in cost to the water utility in purchasing and delivering recycled or nonpotable water as compared to the cost of purchasing and delivering potable water. (2) Granting to the customer a uniform discount from the water utility's general metered potable water rate when the discount in paragraph (1) is determined to be an insufficient incentive for the customer to convert to the use of recycled or nonpotable water. If the commission provides for a discount pursuant to this paragraph that is greater than the water utility's reduction in cost, the commission shall authorize the water utility to include the aggregate amount of that discount in its revenue requirements to be applied to, and recovered in, rates that are applicable to all general metered customers.

13580.9. City of West Covina

(a) Notwithstanding any other provision of law, and except as otherwise previously provided for in a contract agreed to by the customer and the City of West Covina, if the purchaser, contractor, or lessee of, or successor to, all or a portion of the water utility owned by the City of West Covina is a retail water supplier that is regulated by the Public Utilities Commission, rates for recycled or nonpotable water service to a closed hazardous waste and solid waste facility located within the boundaries of the City of West Covina for the purposes of irrigation, recreation, or dust suppression or any other use at that facility shall be established in accordance with subdivisions (a) to (e), inclusive, of Section 13580.7, and if there is a failure to agree on the terms and conditions of a recycled or nonpotable water supply agreement for the delivery of water for those purposes by that purchaser, contractor, lessee, or successor, Section 13581 shall apply.

(b) For the purpose of this section, nonpotable water that is not the result of the treatment of waste shall be treated as the equivalent of recycled water if it is suitable for a direct beneficial use or a controlled use that would not otherwise occur and is therefore considered a valuable resource, if the use of that water will not adversely affect downstream water rights, degrade water quality, or be injurious to plant life, fish, or wildlife, as provided by statute or by regulations of the State Department of Health Services and the state board or a regional board, as appropriate.

13581. Formal mediation process

(a) If there is a failure to agree on terms and conditions of a recycled water supply agreement involving a retail water supplier that is a public agency within 180 days from the date of the receipt of a request for recycled water pursuant to subdivision (c) of Section 13580, a written statement pursuant to subdivision (c) of Section 13580.5, or a determination of availability pursuant to subdivision (d) of Section 13580.5, any party may request a formal mediation process. The parties shall commence mediation within 60 days after the mediation request is made. If the parties cannot agree on a mediator, the director shall appoint a mediator. The mediator may recommend to the parties appropriate terms and conditions applicable to the service of recycled water. The cost for the services of the mediator shall be divided equally among the parties to the mediation and shall not exceed twenty thousand dollars (\$20,000).

(b) If the parties in mediation reach agreement, both parties together shall draft the contract for the recycled water service. The parties shall sign the contract within 30 days.

(c) If the parties in mediation fail to reach agreement, the affected retail water supplier shall, within 30 days, by resolution or ordinance, adopt a rate for recycled water service. The agency action shall be subject to validating proceedings pursuant to Chapter 9 (commencing with Section 860) of Part 2 of Title 10 of the Code of Civil Procedure, except that there shall not be a presumption in favor of the retail water supplier under the action taken to set the rate for recycled water service. The mediator shall file a report with the superior court setting forth the recommendations provided to the parties regarding appropriate terms and conditions applicable to the service of recycled water. Each party shall bear its own costs and attorney's fees.

13581.2. Process for a retail water supplier regulated by the PUC

If the retail water supplier is regulated by the Public Utilities Commission, and there is a failure to agree on terms and conditions of a recycle water supply agreement with a customer within 180 days from the date of the receipt of a request for recycled water pursuant to subdivision (c) of Section 13580, a written statement pursuant to subdivision (c) of Section 13580.5, or a determination of availability pursuant to subdivision (d) of Section 13580.5, the matter shall be submitted to the Public Utilities Commission for resolution, and the commission shall determine a contract rate or rates for recycled water as provided in Section 13580.8.

13582. Construction of chapter

This chapter is not intended to alter either of the following:

(a) Any rights, remedies, or obligations which may exist pursuant to Article 1.5 (commencing with Section 1210) of Chapter 1 of Part 2 of Division 2 of this code or Chapter 8.5 (commencing with Section 1501) of Part 1 of Division 1 of the Public Utilities Code.

(b) Any rates established or contracts entered into prior to January 1, 1999.

13583. Noncompliance

(a) If a retail water supplier that is a public agency does not comply with this chapter, the customer may petition a court for a writ of mandate pursuant to Chapter 2 (commencing with Section 1084) of Title 1 of Part 3 of the Code of Civil Procedure.

(b) If a retail water supplier is regulated by the Public Utilities Commission and does not comply with this chapter, the Public Utilities Commission may order the retailer to comply with this chapter after receiving a petition from the customer specifying the provisions of this chapter with which the retailer has failed to comply.

Chapter 22. Graywater for Home Irrigation

14875. Application of chapter

This chapter applies to the construction, installation, or alteration of graywater systems for subsurface irrigation and other safe uses.

14875.1. Department Definition

"Department" means the Department of Water Resources.

14876. Graywater definition

"Graywater" means untreated wastewater which has not been contaminated by any toilet discharge, has not been affected by infectious, contaminated, or unhealthy bodily wastes, and which does not present a threat from contamination by unhealthful processing, manufacturing, or operating wastes. Graywater includes wastewater from bathtubs, showers, bathroom washbasins, clothes washing machines, and laundry tubs but does not include wastewater from kitchen sinks or dishwashers.

14877. Graywater system definition

"Graywater system" means a system and devices, attached to the plumbing system for the sanitary distribution or use of graywater.

14877.1. Consultation with DHS on standards

(a) On or before January 1, 1997, the department, in consultation with the State Department of Health Services and the Center for Irrigation Technology at California State University, Fresno, shall adopt standards for the installation of graywater systems. In adopting these standards, the department shall consider, among other resources, "Appendix J," as adopted on September 29, 1992, by the International Association of Plumbing and Mechanical Officials, the graywater standard proposed for the latest edition of the Uniform Plumbing Code of the International Association of Plumbing and Mechanical Officials, the City of Los Angeles Graywater Pilot Project Final Report issued in November 1992, and the advice of the Center for Irrigation Technology at California State University, Fresno, on the installation depth for subsurface drip irrigation systems.

(b) The department shall include among the approved methods of subsurface irrigation, but shall not be limited to, drip systems.

(c) The department shall revise its graywater systems standards as needed.

14877.2. Local administration

A graywater system may be installed if the city or county having jurisdiction over the installation determines that the system complies with standards adopted by the department.

14877.3. City or county—more stringent

After a public hearing, a city or county may adopt, by ordinance, standards that prohibit the use of graywater or standards that are more restrictive than the standards adopted by the department, as appropriate for the local area.

Title 22 Code of Regulations

DIVISION 4. ENVIRONMENTAL HEALTH CHAPTER 1. INTRODUCTION

ARTICLE 1. DEFINITIONS

60001. Department

Whenever the term "department" is used in this division, it means the State Department of Health Services, unless otherwise specified.

60003. Director

Whenever the term "director" is used in this division, it means the Director, State Department of Health Services, unless otherwise specified.

CHAPTER 2. REGULATIONS FOR THE IMPLEMENTATION OF THE CALIFORNIA ENVIRONMENTAL QUALITY ACT

ARTICLE 1. GENERAL REQUIREMENTS AND CATEGORICAL EXEMPTIONS

60100. General requirements

The Department of Health Services incorporates by reference the objectives, criteria, and procedures as delineated in Chapters 1, 2, 2.5, 2.6, 3, 4, 5, and 6, Division 13, Public Resources Code, Sections 21000 et seq., and the Guidelines for the Implementation of the California Environmental Quality Act, Title 14, Division 6, Chapter 3, California Administrative Code, Sections 15000 et seq.

60101. Specific activities within categorical exempt classes

The following specific activities are determined by the Department to fall within the classes of categorical exemptions set forth in Sections 15300 et seq. of Title 14 of the California Administrative Code:

- (a) Class 1: Existing Facilities.

(1) Any interior or exterior alteration of water treatment units, water supply systems, and pump station buildings where the alteration involves the addition, deletion, or modification of mechanical, electrical, or hydraulic controls.

(2) Maintenance, repair, replacement, or reconstruction to any water treatment process units, including structures, filters, pumps, and chlorinators.

(b) Class 2: Replacement or Reconstruction.

(1) Repair or replacement of any water service connections, meters, and valves for backflow prevention, air release, pressure regulating, shut-off and blow-off or flushing.

(2) Replacement or reconstruction of any existing water supply distribution lines, storage tanks and reservoirs of substantially the same size.

(3) Replacement or reconstruction of any water wells, pump stations and related appurtenances.

(c) Class 3: New Construction of Small Structures.

(1) Construction of any water supply and distribution lines of less than sixteen inches in diameter, and related appurtenances.

(2) Construction of any water storage tanks and reservoirs of less than 100,000 gallon capacity.

(d) Class 4: Minor Alterations to Land.

(1) Minor alterations to land, water, or vegetation on any officially existing designated wildlife management areas or fish production facilities for the purpose of reducing the environmental potential for nuisances or vector production.

(2) Any minor alterations to highway crossings for water supply and distribution lines.

CHAPTER 3 WATER RECYCLING CRITERIA

ARTICLE 1 DEFINITIONS

60301. Definitions

60301.100. Approved laboratory

"Approved laboratory" means a laboratory that has been certified by the Department to perform microbiological analyses pursuant to section 116390, Health and Safety Code.

60301.160. Coagulated wastewater

"Coagulated wastewater" means oxidized wastewater in which colloidal and finely divided suspended matter have been destabilized and agglomerated upstream from a filter by the addition of suitable flocc-forming chemicals.

60301.170. Conventional treatment

"Conventional treatment" means a treatment chain that utilizes a sedimentation unit process between the coagulation and filtration processes and produces an effluent that meets the definition for disinfected tertiary recycled water.

60301.200. Direct beneficial use

"Direct beneficial use" means the use of recycled water that has been transported from the point of treatment or production to the point of use without an intervening discharge to waters of the State.

60301.220. Disinfected secondary-2.2 recycled water

"Disinfected secondary-2.2 recycled water" means recycled water that has been oxidized and disinfected so that the median concentration of total coliform bacteria in the disinfected effluent does not exceed a most probable number (MPN) of 2.2 per 100 milliliters utilizing the bacteriological results of the last seven days for which analyses have been completed, and the number of total coliform bacteria does not exceed an MPN of 23 per 100 milliliters in more than one sample in any 30 day period.

60301.225. Disinfected secondary-23 recycled water

"Disinfected secondary-23 recycled water" means recycled water that has been oxidized and disinfected so that the median concentration of total coliform bacteria in the disinfected effluent does not exceed a most probable number (MPN) of 23 per 100

milliliters utilizing the bacteriological results of the last seven days for which analyses have been completed, and the number of total coliform bacteria does not exceed an MPN of 240 per 100 milliliters in more than one sample in any 30 day period.

60301.230. Disinfected tertiary recycled water

"Disinfected tertiary recycled water" means a filtered and subsequently disinfected wastewater that meets the following criteria:

(a) The filtered wastewater has been disinfected by either:

(1) A chlorine disinfection process following filtration that provides a CT (the product of total chlorine residual and modal contact time measured at the same point) value of not less than 450 milligram-minutes per liter at all times with a modal contact time of at least 90 minutes, based on peak dry weather design flow; or

(2) A disinfection process that, when combined with the filtration process, has been demonstrated to inactivate and/or remove 99.999 percent of the plaque-forming units of F-specific bacteriophage MS2, or polio virus in the wastewater. A virus that is at least as resistant to disinfection as polio virus may be used for purposes of the demonstration.

(b) The median concentration of total coliform bacteria measured in the disinfected effluent does not exceed an MPN of 2.2 per 100 milliliters utilizing the bacteriological results of the last seven days for which analyses have been completed and the number of total coliform bacteria does not exceed an MPN of 23 per 100 milliliters in more than one sample in any 30 day period. No sample shall exceed an MPN of 240 total coliform bacteria per 100 milliliters.

60301.240. Drift

"Drift" means the water that escapes to the atmosphere as water droplets from a cooling system.

60301.245. Drift eliminator

"Drift eliminator" means a feature of a cooling system that reduces to a minimum the generation of drift from the system.

60301.250. Dual plumbed system

"Dual plumbed system" or "dual plumbed" means a system that utilizes separate piping systems for recycled water and potable water within a facility and where the recycled water is used for either of the following purposes:

- (a) To serve plumbing outlets (excluding fire suppression systems) within a building or
- (b) Outdoor landscape irrigation at individual residences.

60301.300. F-Specific bacteriophage MS-2

"F-specific bacteriophage MS-2" means a strain of a specific type of virus that infects coliform bacteria that is traceable to the American Type Culture Collection (ATCC 15597B1) and is grown on lawns of *E. coli* (ATCC 15597).

60301.310. Facility

"Facility" means any type of building or structure, or a defined area of specific use that receives water for domestic use from a public water system as defined in section 116275 of the Health and Safety Code.

60301.320. Filtered wastewater

"Filtered wastewater" means an oxidized wastewater that meets the criteria in subsection (a) or (b):

- (a) Has been coagulated and passed through natural undisturbed soils or a bed of filter media pursuant to the following:
 - (1) At a rate that does not exceed 5 gallons per minute per square foot of surface area in mono, dual or mixed media gravity, upflow or pressure filtration systems, or does not exceed 2 gallons per minute per square foot of surface area in traveling bridge automatic backwash filters; and
 - (2) So that the turbidity of the filtered wastewater does not exceed any of the following:
 - (A) An average of 2 NTU within a 24-hour period;
 - (B) 5 NTU more than 5 percent of the time within a 24-hour period; and

(C) 10 NTU at any time.

(b) Has been passed through a microfiltration, ultrafiltration, nanofiltration, or reverse osmosis membrane so that the turbidity of the filtered wastewater does not exceed any of the following:

(1) 0.2 NTU more than 5 percent of the time within a 24-hour period; and

(2) 0.5 NTU at any time.

60301.330. Food crops

"Food crops" means any crops intended for human consumption.

60301.400. Hose bibb

"Hose bibb" means a faucet or similar device to which a common garden hose can be readily attached.

60301.550. Landscape impoundment

"Landscape impoundment" means an impoundment in which recycled water is stored or used for aesthetic enjoyment or landscape irrigation, or which otherwise serves a similar function and is not intended to include public contact.

60301.600. Modal contact time

"Modal contact time" means the amount of time elapsed between the time that a tracer, such as salt or dye, is injected into the influent at the entrance to a chamber and the time that the highest concentration of the tracer is observed in the effluent from the chamber.

60301.620. Nonrestricted recreational impoundment

"Nonrestricted recreational impoundment" means an impoundment of recycled water, in which no limitations are imposed on body-contact water recreational activities.

60301.630. NTU

"NTU" (Nephelometric turbidity unit) means a measurement of turbidity as determined by the ratio of the intensity of light scattered by the sample to the intensity of incident light as measured by method 2130 B. in Standard Methods for the Examination of Water and Wastewater, 20th ed.; Eaton, A. D., Clesceri, L. S., and Greenberg, A. E., Eds; American Public Health Association: Washington, DC, 1995; p. 2-8.

60301.650. Oxidized wastewater.

"Oxidized wastewater" means wastewater in which the organic matter has been stabilized, is nonputrescible, and contains dissolved oxygen.

60301.660. Peak dry weather design flow

"Peak Dry Weather Design Flow" means the arithmetic mean of the maximum peak flow rates sustained over some period of time (for example three hours) during the maximum 24-hour dry weather period. Dry weather period is defined as periods of little or no rainfall.

60301.700. Recycled wateragency.

"Recycled water agency" means the public water system, or a publicly or privately owned or operated recycled water system, that delivers or proposes to deliver recycled water to a facility.

60301.710. Recycling plant

"Recycling plant" means an arrangement of devices, structures, equipment, processes and controls which produce recycled water.

60301.740. Regulatory Agency

"Regulatory agency" means the California Regional Water Quality Control Board(s) that have jurisdiction over the recycling plant and use areas.

60301.750. Restricted access golf course

"Restricted access golf course" means a golf course where public access is controlled so that areas irrigated with recycled water cannot be used as if they were part of a park, playground, or school yard and where irrigation is conducted only in areas and during periods when the golf course is not being used by golfers.

60301.760. Restricted recreational impoundment

"Restricted recreational impoundment" means an impoundment of recycled water in which recreation is limited to fishing, boating, and other non-body-contact water recreational activities.

60301.800. Spray irrigation

"Spray irrigation" means the application of recycled water to crops to maintain vegetation or support growth of vegetation by applying it from sprinklers.

Section 60301.830. Standby Unit Process.

"Standby unit process" means an alternate unit process or an equivalent alternative process which is maintained in operable condition and which is capable of providing comparable treatment of the actual flow through the unit for which it is a substitute.

60301.900. Undisinfected secondary recycled water.

"Undisinfected secondary recycled water" means oxidized wastewater.

60301.920. Use area

"Use area" means an area of recycled water use with defined boundaries. A use area may contain one or more facilities.

ARTICLE 2. SOURCES OF RECYCLED WATER.

60302. Source specifications.

The requirements in this chapter shall only apply to recycled water from sources that contain domestic waste, in whole or in part.

ARTICLE 3. USES OF RECYCLED WATER.

60303. Exceptions

The requirements set forth in this chapter shall not apply to the use of recycled water onsite at a water recycling plant, or wastewater treatment plant, provided access by the public to the area of onsite recycled water use is restricted.

60304. Use of recycled water for irrigation

(a) Recycled water used for the surface irrigation of the following shall be a disinfected tertiary recycled water, except that for filtration pursuant to Section 60301.320(a) coagulation need not be used as part of the treatment process provided that the filter effluent turbidity does not exceed 2 NTU, the turbidity of the influent to the filters is continuously measured, the influent turbidity does not exceed 5 NTU for more than 15 minutes and never exceeds 10 NTU, and that there is the capability to automatically activate chemical addition or divert the wastewater should the filter influent turbidity exceed 5 NTU for more than 15 minutes:

- (1) Food crops, including all edible root crops, where the recycled water comes into contact with the edible portion of the crop,
- (2) Parks and playgrounds,
- (3) School yards,
- (4) Residential landscaping,
- (5) Unrestricted access golf courses, and
- (6) Any other irrigation use not specified in this section and not prohibited by other sections of the California Code of Regulations.

(b) Recycled water used for the surface irrigation of food crops where the edible portion is produced above ground and not contacted by the recycled water shall be at least disinfected secondary-2.2 recycled water.

(c) Recycled water used for the surface irrigation of the following shall be at least disinfected secondary-23 recycled water:

- (1) Cemeteries,

- (2) Freeway landscaping,
 - (3) Restricted access golf courses,
 - (4) Ornamental nursery stock and sod farms where access by the general public is not restricted,
 - (5) Pasture for animals producing milk for human consumption, and
 - (6) Any nonedible vegetation where access is controlled so that the irrigated area cannot be used as if it were part of a park, playground or school yard
- (d) Recycled wastewater used for the surface irrigation of the following shall be at least undisinfected secondary recycled water:
- (1) Orchards where the recycled water does not come into contact with the edible portion of the crop,
 - (2) Vineyards where the recycled water does not come into contact with the edible portion of the crop,
 - (3) Non food-bearing trees (Christmas tree farms are included in this category provided no irrigation with recycled water occurs for a period of 14 days prior to harvesting or allowing access by the general public),
 - (4) Fodder and fiber crops and pasture for animals not producing milk for human consumption,
 - (5) Seed crops not eaten by humans,
 - (6) Food crops that must undergo commercial pathogen-destroying processing before being consumed by humans, and
 - (7) Ornamental nursery stock and sod farms provided no irrigation with recycled water occurs for a period of 14 days prior to harvesting, retail sale, or allowing access by the general public.
- (e) No recycled water used for irrigation, or soil that has been irrigated with recycled water, shall come into contact with the edible portion of food crops eaten raw by humans unless the recycled water complies with subsection (a).

60305. Use of recycled water for impoundments.

(a) Except as provided in subsection (b), recycled water used as a source of water supply for nonrestricted recreational impoundments shall be disinfected tertiary recycled water that has been subjected to conventional treatment.

(b) Disinfected tertiary recycled water that has not received conventional treatment may be used for nonrestricted recreational impoundments provided the recycled water is monitored for the presence of pathogenic organisms in accordance with the following:

(1) During the first 12 months of operation and use the recycled water shall be sampled and analyzed monthly for *Giardia*, enteric viruses, and *Cryptosporidium*. Following the first 12 months of use, the recycled water shall be sampled and analyzed quarterly for *Giardia*, enteric viruses, and *Cryptosporidium*. The ongoing monitoring may be discontinued after the first two years of operation with the approval of the department. This monitoring shall be in addition to the monitoring set forth in section 60321.

(2) The samples shall be taken at a point following disinfection and prior to the point where the recycled water enters the use impoundment. The samples shall be analyzed by an approved laboratory and the results submitted quarterly to the regulatory agency.

(c) The total coliform bacteria concentrations in recycled water used for nonrestricted recreational impoundments, measured at a point between the disinfection process and the point of entry to the use impoundment, shall comply with the criteria specified in section 60301.230 (b) for disinfected tertiary recycled water.

(d) Recycled water used as a source of supply for restricted recreational impoundments and for any publicly accessible impoundments at fish hatcheries shall be at least disinfected secondary-2.2 recycled water.

(e) Recycled water used as a source of supply for landscape impoundments that do not utilize decorative fountains shall be at least disinfected secondary-23 recycled water.

60306. Use of recycled water for cooling

(a) Recycled water used for industrial or commercial cooling or air conditioning that involves the use of a cooling tower, evaporative condenser, spraying or any mechanism that creates a mist shall be a disinfected tertiary recycled water.

(b) Use of recycled water for industrial or commercial cooling or air conditioning that does not involve the use of a cooling tower, evaporative condenser, spraying, or any mechanism that creates a mist shall be at least disinfected secondary-23 recycled water.

(c) Whenever a cooling system, using recycled water in conjunction with an air conditioning facility, utilizes a cooling tower or otherwise creates a mist that could come into contact with employees or members of the public, the cooling system shall comply with the following:

- (1) A drift eliminator shall be used whenever the cooling system is in operation.
- (2) A chlorine, or other, biocide shall be used to treat the cooling system recirculating water to minimize the growth of *Legionella* and other micro-organisms.

60307. Use of recycled water for other purposes

(a) Recycled water used for the following shall be disinfected tertiary recycled water, except that for filtration being provided pursuant to Section 60301.320(a) coagulation need not be used as part of the treatment process provided that the filter effluent turbidity does not exceed 2 NTU, the turbidity of the influent to the filters is continuously measured, the influent turbidity does not exceed 5 NTU for more than 15 minutes and never exceeds 10 NTU, and that there is the capability to automatically activate chemical addition or divert the wastewater should the filter influent turbidity exceed 5 NTU for more than 15 minutes:

- (1) Flushing toilets and urinals,
- (2) Priming drain traps,
- (3) Industrial process water that may come into contact with workers,
- (4) Structural fire fighting,
- (5) Decorative fountains,
- (6) Commercial laundries,
- (7) Consolidation of backfill around potable water pipelines,
- (8) Artificial snow making for commercial outdoor use, and

(9) Commercial car washes, including hand washes if the recycled water is not heated, where the general public is excluded from the washing process.

(b) Recycled water used for the following uses shall be at least disinfected secondary-23 recycled water:

- (1) Industrial boiler feed,
- (2) Nonstructural fire fighting,
- (3) Backfill consolidation around nonpotable piping,
- (4) Soil compaction,
- (5) Mixing concrete,
- (6) Dust control on roads and streets,
- (7) Cleaning roads, sidewalks and outdoor work areas and
- (8) Industrial process water that will not come into contact with workers.

(c) Recycled water used for flushing sanitary sewers shall be at least undisinfected secondary recycled water.

ARTICLE 4. USE AREA REQUIREMENTS.

60310. Use area requirements

(a) No irrigation with disinfected tertiary recycled water shall take place within 50 feet of any domestic water supply well unless all of the following conditions have been met:

- (1) A geological investigation demonstrates that an aquitard exists at the well between the uppermost aquifer being drawn from and the ground surface.
- (2) The well contains an annular seal that extends from the surface into the aquitard.
- (3) The well is housed to prevent any recycled water spray from coming into contact with the wellhead facilities.

- (4) The ground surface immediately around the wellhead is contoured to allow surface water to drain away from the well.
- (5) The owner of the well approves of the elimination of the buffer zone requirement.
- (b) No impoundment of disinfected tertiary recycled water shall occur within 100 feet of any domestic water supply well.
- (c) No irrigation with, or impoundment of, disinfected secondary-2.2 or disinfected secondary-23 recycled water shall take place within 100 feet of any domestic water supply well.
- (d) No irrigation with, or impoundment of, undisinfected secondary recycled water shall take place within 150 feet of any domestic water supply well.
- (e) Any use of recycled water shall comply with the following:
 - (1) Any irrigation runoff shall be confined to the recycled water use area, unless the runoff does not pose a public health threat and is authorized by the regulatory agency.
 - (2) Spray, mist, or runoff shall not enter dwellings, designated outdoor eating areas, or food handling facilities.
 - (3) Drinking water fountains shall be protected against contact with recycled water spray, mist, or runoff.
- (f) No spray irrigation of any recycled water, other than disinfected tertiary recycled water, shall take place within 100 feet of a residence or a place where public exposure could be similar to that of a park, playground, or school yard.
- (g) All use areas where recycled water is used that are accessible to the public shall be posted with signs that are visible to the public, in a size no less than 4 inches high by 8 inches wide, that include the following wording : "RECYCLED WATER - DO NOT DRINK". Each sign shall display an international symbol similar to that shown in figure 60310-A. The Department may accept alternative signage and wording, or an educational program, provided the applicant demonstrates to the Department that the alternative approach will assure an equivalent degree of public notification.

(h) Except as allowed under section 7604 of title 17, California Code of Regulations, no physical connection shall be made or allowed to exist between any recycled water system and any separate system conveying potable water.

(i) The portions of the recycled water piping system that are in areas subject to access by the general public shall not include any hose bibbs. Only quick couplers that differ from those used on the potable water system shall be used on the portions of the recycled water piping system in areas subject to public access.



Water Recycling Criteria

FIGURE 60310-A

ARTICLE 5. DUAL PLUMBED RECYCLED WATER SYSTEMS.

60313. General requirements.

- (a) No person other than a recycled water agency shall deliver recycled water to a dual-plumbed facility.
- (b) No recycled water agency shall deliver recycled water for any internal use to any individually-owned residential units including free-standing structures, multiplexes, or condominiums.
- (c) No recycled water agency shall deliver recycled water for internal use except for fire suppression systems, to any facility that produces or processes food products or beverages. For purposes of this Subsection, cafeterias or snack bars in a facility whose primary function does not involve the production or processing of foods or beverages are not considered facilities that produce or process foods or beverages.
- (d) No recycled water agency shall deliver recycled water to a facility using a dual plumbed system unless the report required pursuant to section 13522.5 of the Water Code, and which meets the requirements set forth in section 60314, has been submitted to, and approved by, the regulatory agency.

60314. Report submittal

- (a) For dual-plumbed recycled water systems, the report submitted pursuant to section 13522.5 of the Water Code shall contain the following information in addition to the information required by section 60323:
 - (1) A detailed description of the intended use area identifying the following:
 - (A) The number, location, and type of facilities within the use area proposing to use dual plumbed systems,
 - (B) The average number of persons estimated to be served by each facility on a daily basis,
 - (C) The specific boundaries of the proposed use area including a map showing the location of each facility to be served,
 - (D) The person or persons responsible for operation of the dual plumbed system at each facility, and

- (E) The specific use to be made of the recycled water at each facility.
- (2) Plans and specifications describing the following:
 - (A) Proposed piping system to be used,
 - (B) Pipe locations of both the recycled and potable systems,
 - (C) Type and location of the outlets and plumbing fixtures that will be accessible to the public, and
 - (D) The methods and devices to be used to prevent backflow of recycled water into the public water system.
- (3) The methods to be used by the recycled water agency to assure that the installation and operation of the dual plumbed system will not result in cross connections between the recycled water piping system and the potable water piping system. This shall include a description of pressure, dye or other test methods to be used to test the system every four years.
- (b) A master plan report that covers more than one facility or use site may be submitted provided the report includes the information required by this section. Plans and specifications for individual facilities covered by the report may be submitted at any time prior to the delivery of recycled water to the facility.

60315. Design requirements

The public water supply shall not be used as a backup or supplemental source of water for a dual-plumbed recycled water system unless the connection between the two systems is protected by an air gap separation which complies with the requirements of sections 7602 (a) and 7603 (a) of title 17, California Code of Regulations, and the approval of the public water system has been obtained.

60316. Operation requirements

(a) Prior to the initial operation of the dual-plumbed recycled water system and annually thereafter, the Recycled Water Agency shall ensure that the dual plumbed system within each facility and use area is inspected for possible cross connections with the potable water system. The recycled water system shall also be tested for possible cross connections at least once every four years. The testing shall be conducted in accordance with the method described in the report submitted pursuant to section 60314. The inspections and the testing shall be performed by a cross connection

control specialist certified by the California-Nevada section of the American Water Works Association or an organization with equivalent certification requirements. A written report documenting the result of the inspection or testing for the prior year shall be submitted to the department within 30 days following completion of the inspection or testing.

(b) The recycled water agency shall notify the department of any incidence of backflow from the dual-plumbed recycled water system into the potable water system within 24 hours of the discovery of the incident.

(c) Any backflow prevention device installed to protect the public water system serving the dual-plumbed recycled water system shall be inspected and maintained in accordance with section 7605 of Title 17, California Code of Regulations.

ARTICLE 5.1. GROUNDWATER RECHARGE

60320. Groundwater recharge

(a) Reclaimed water used for groundwater recharge of domestic water supply aquifers by surface spreading shall be at all times of a quality that fully protects public health. The State Department of Health Services' recommendations to the Regional Water Quality Control Boards for proposed groundwater recharge projects and for expansion of existing projects will be made on an individual case basis where the use of reclaimed water involves a potential risk to public health.

(b) The State Department of Health Services' recommendations will be based on all relevant aspects of each project, including the following factors: treatment provided; effluent quality and quantity; spreading area operations; soil characteristics; hydrogeology; residence time; and distance to withdrawal.

(c) The State Department of Health Services will hold a public hearing prior to making the final determination regarding the public health aspects of each groundwater recharge project. Final recommendations will be submitted to the Regional Water Quality Control Board in an expeditious manner.

ARTICLE 5.5. OTHER METHODS OF TREATMENT

60320.5. Other methods of treatment

Methods of treatment other than those included in this chapter and their reliability features may be accepted if the applicant demonstrates to the satisfaction of the State Department of Health that the methods of treatment and reliability features will assure an equal degree of treatment and reliability.

ARTICLE 6. SAMPLING AND ANALYSIS

60321. Sampling and analysis

(a) Disinfected secondary-23, disinfected secondary-2.2, and disinfected tertiary recycled water shall be sampled at least once daily for total coliform bacteria. The samples shall be taken from the disinfected effluent and shall be analyzed by an approved laboratory.

(b) Disinfected tertiary recycled water shall be continuously sampled for turbidity using a continuous turbidity meter and recorder following filtration. Compliance with the daily average operating filter effluent turbidity shall be determined by averaging the levels of recorded turbidity taken at four-hour intervals over a 24-hour period. Compliance with turbidity pursuant to section 60301.320 (a)(2)(B) and (b)(1) shall be determined using the levels of recorded turbidity taken at intervals of no more than 1.2-hours over a 24-hour period. Should the continuous turbidity meter and recorder fail, grab sampling at a minimum frequency of 1.2-hours may be substituted for a period of up to 24-hours. The results of the daily average turbidity determinations shall be reported quarterly to the regulatory agency.

(c) The producer or supplier of the recycled water shall conduct the sampling required in subsections (a) and (b).

ARTICLE 7. ENGINEERING REPORT AND OPERATIONAL REQUIREMENTS

60323. Engineering report

(a) No person shall produce or supply reclaimed water for direct reuse from a proposed water reclamation plant unless he files an engineering report.

(b) The report shall be prepared by a properly qualified engineer registered in California and experienced in the field of wastewater treatment, and shall contain a description of the design of the proposed reclamation system. The report shall clearly indicate the means for compliance with these regulations and any other features specified by the regulatory agency.

(c) The report shall contain a contingency plan which will assure that no untreated or inadequately treated wastewater will be delivered to the use area.

60325. Personnel

(a) Each reclamation plant shall be provided with a sufficient number of qualified personnel to operate the facility effectively so as to achieve the required level of treatment at all times.

(b) Qualified personnel shall be those meeting requirements established pursuant to Chapter 9 (commencing with Section 13625) of the Water Code.

60327. Maintenance

A preventive maintenance program shall be provided at each reclamation plant to ensure that all equipment is kept in a reliable operating condition.

60329. Operating records and reports

(a) Operating records shall be maintained at the reclamation plant or a central depository within the operating agency. These shall include: all analyses specified in the reclamation criteria; records of operational problems, plant and equipment breakdowns, and diversions to emergency storage or disposal; all corrective or preventive action taken.

(b) Process or equipment failures triggering an alarm shall be recorded and maintained as a separate record file. The recorded information shall include the time and cause of failure and corrective action taken.

(c) A monthly summary of operating records as specified under (a) of this section shall be filed monthly with the regulatory agency.

(d) Any discharge of untreated or partially treated wastewater to the use area, and the cessation of same, shall be reported immediately by telephone to the regulatory agency, the State Department of Health, and the local health officer.

60331. Bypass

There shall be no bypassing of untreated or partially treated wastewater from the reclamation plant or any intermediate unit processes to the point of use.

ARTICLE 8. GENERAL REQUIREMENTS OF DESIGN

60333. Flexibility of design

The design of process piping, equipment arrangement, and unit structures in the reclamation plant must allow for efficiency and convenience in operation and maintenance and provide flexibility of operation to permit the highest possible degree of treatment to be obtained under varying circumstances.

60335. Alarms

(a) Alarm devices required for various unit processes as specified in other sections of these regulations shall be installed to provide warning of:

- (1) Loss of power from the normal power supply.
- (2) Failure of a biological treatment process.
- (3) Failure of a disinfection process.
- (4) Failure of a coagulation process.
- (5) Failure of a filtration process.
- (6) Any other specific process failure for which warning is required by the regulatory agency.

(b) All required alarm devices shall be independent of the normal power supply of the reclamation plant.

(c) The person to be warned shall be the plant operator, superintendent, or any other responsible person designated by the management of the reclamation plant and capable of taking prompt corrective action.

(d) Individual alarm devices may be connected to a master alarm to sound at a location where it can be conveniently observed by the attendant. In case the reclamation plant is

not attended full time, the alarm(s) shall be connected to sound at a police station, fire station or other full time service unit with which arrangements have been made to alert the person in charge at times that the reclamation plant is unattended.

60337. Power supply

The power supply shall be provided with one of the following reliability features:

- (a) Alarm and standby power source.
- (b) Alarm and automatically actuated short-term retention or disposal provisions as specified in Section 60341.
- (c) Automatically actuated long-term storage or disposal provisions as specified in Section 60341.

ARTICLE 9. RELIABILITY REQUIREMENTS FOR PRIMARY EFFLUENT

60339. Primary treatment

Reclamation plants producing reclaimed water exclusively for uses for which primary effluent is permitted shall be provided with one of the following reliability features:

- (a) Multiple primary treatment units capable of producing primary effluent with one unit not in operation.
- (b) Long-term storage or disposal provisions as specified in Section 60341.

Note: Use of primary effluent for recycled water is no longer allowed. [repeal of Section 60309, effective December 2000]

ARTICLE 10. RELIABILITY REQUIREMENTS FOR FULL TREATMENT

60341. Emergency storage or disposal

- (a) Where short-term retention or disposal provisions are used as a reliability feature, these shall consist of facilities reserved for the purpose of storing or disposing of untreated or partially treated wastewater for at least a 24-hour period. The facilities shall include all the necessary diversion devices, provisions for odor control, conduits, and pumping and pump back equipment. All of the equipment other than the pump back

equipment shall be either independent of the normal power supply or provided with a standby power source.

(b) Where long-term storage or disposal provisions are used as a reliability feature, these shall consist of ponds, reservoirs, percolation areas, downstream sewers leading to other treatment or disposal facilities or any other facilities reserved for the purpose of emergency storage or disposal of untreated or partially treated wastewater. These facilities shall be of sufficient capacity to provide disposal or storage of wastewater for at least 20 days, and shall include all the necessary diversion works, provisions for odor and nuisance control, conduits, and pumping and pump back equipment. All of the equipment other than the pump back equipment shall be either independent of the normal power supply or provided with a standby power source.

(c) Diversion to a less demanding reuse is an acceptable alternative to emergency disposal of partially treated wastewater provided that the quality of the partially treated wastewater is suitable for the less demanding reuse.

(d) Subject to prior approval by the regulatory agency, diversion to a discharge point which requires lesser quality of wastewater is an acceptable alternative to emergency disposal of partially treated wastewater.

(e) Automatically actuated short-term retention or disposal provisions and automatically actuated long-term storage or disposal provisions shall include, in addition to provisions of (a), (b), (c), or (d) of this section, all the necessary sensors, instruments, valves and other devices to enable fully automatic diversion of untreated or partially treated wastewater to approved emergency storage or disposal in the event of failure of a treatment process and a manual reset to prevent automatic restart until the failure is corrected.

60343. Primary treatment

All primary treatment unit processes shall be provided with one of the following reliability features:

(a) Multiple primary treatment units capable of producing primary effluent with one unit not in operation.

(b) Standby primary treatment unit process.

(c) Long-term storage or disposal provisions.

60345. Biological treatment

All biological treatment unit processes shall be provided with one of the following reliability features:

- (a) Alarm and multiple biological treatment units capable of producing oxidized wastewater with one unit not in operation.
- (b) Alarm, short-term retention or disposal provisions, and standby replacement equipment.
- (c) Alarm and long-term storage or disposal provisions.
- (d) Automatically actuated long-term storage or disposal provisions.

60347. Secondary sedimentation

All secondary sedimentation unit processes shall be provided with one of the following reliability features:

- (a) Multiple sedimentation units capable of treating the entire flow with one unit not in operation.
- (b) Standby sedimentation unit process.
- (c) Long-term storage or disposal provisions.

60349. Coagulation

(a) All coagulation unit processes shall be provided with the following mandatory features for uninterrupted coagulant feed:

- (1) Standby feeders,
- (2) Adequate chemical stowage and conveyance facilities,
- (3) Adequate reserve chemical supply, and
- (4) Automatic dosage control.

(b) All coagulation unit processes shall be provided with one of the following reliability features:

- (1) Alarm and multiple coagulation units capable of treating the entire flow with one unit not in operation;
- (2) Alarm, short-term retention or disposal provisions, and standby replacement equipment;
- (3) Alarm and long-term storage or disposal provisions;
- (4) Automatically actuated long-term storage or disposal provisions, or
- (5) Alarm and standby coagulation process.

60351. Filtration

All filtration unit processes shall be provided with one of the following reliability features:

- (a) Alarm and multiple filter units capable of treating the entire flow with one unit not in operation.
- (b) Alarm, short-term retention or disposal provisions and standby replacement equipment.
- (c) Alarm and long-term storage or disposal provisions.
- (d) Automatically actuated long-term storage or disposal provisions.
- (e) Alarm and standby filtration unit process.

Section 60353. Disinfection

(a) All disinfection unit processes where chlorine is used as the disinfectant shall be provided with the following features for uninterrupted chlorine feed:

- (1) Standby chlorine supply,
- (2) Manifold systems to connect chlorine cylinders,

- (3) Chlorine scales, and
- (4) Automatic devices for switching to full chlorine cylinders.

Automatic residual control of chlorine dosage, automatic measuring and recording of chlorine residual, and hydraulic performance studies may also be required.

(b) All disinfection unit processes where chlorine is used as the disinfectant shall be provided with one of the following reliability features:

- (1) Alarm and standby chlorinator;
- (2) Alarm, short-term retention or disposal provisions, and standby replacement equipment;
- (3) Alarm and long-term storage or disposal provisions;
- (4) Automatically actuated long-term storage or disposal provisions; or
- (5) Alarm and multiple point chlorination, each with independent power source, separate chlorinator, and separate chlorine supply.

60355. Other alternatives to reliability requirements

Other alternatives to reliability requirements set forth in Articles 8 to 10 may be accepted if the applicant demonstrates to the satisfaction of the State Department of Health that the proposed alternative will assure an equal degree of reliability.

Title 17 Code of Regulations

DIVISION 1. STATE DEPARTMENT OF HEALTH SERVICES

CHAPTER 5. SANITATION (ENVIRONMENTAL)

GROUP 4. DRINKING WATER SUPPLIES

ARTICLE 1. GENERAL

7583. Definitions

In addition to the definitions in Section 4010.1 of the Health and Safety Code, the following terms are defined for the purpose of this Chapter

- (a) "Approved Water Supply" is a water supply whose potability is regulated by a State or local health agency.
- (b) "Auxiliary Water Supply" is any water supply other than that received from a public water system.
- (c) "Air-gap Separation (AG)" is a physical break between the supply line and a receiving vessel.
- (d) "AWWA Standard" is an official standard developed and approved by the American Water Works Association (AWWA).
- (e) "Cross-Connection" is an unprotected actual or potential connection between a potable water system used to supply water for drinking purposes and any source or system containing unapproved water or a substance that is not or cannot be approved as safe, wholesome, and potable. By-pass arrangements, jumper connections, removable sections, swivel or changeover devices, or other devices through which backflow could occur, shall be considered to be cross-connections.
- (f) "Double Check Valve Assembly (DC)" is an assembly of at least two independently acting check valves including tightly closing shut-off valves on each side of the check valve assembly and test cocks available for testing the watertightness of each check valve.
- (g) "Health Agency" means the California Department of Health Services, or the local health officer with respect to a small water system.
- (h) "Local Health Agency" means the county or city health authority.

- (i) "Reclaimed Water" is a wastewater which as a result of treatment is suitable for uses other than potable use.
- (j) "Reduced Pressure Principle Backflow Prevention Device (RP)" is a backflow preventer incorporating not less than two check valves, an automatically operated differential relief valve located between the two check valves, a tightly closing shut-off valve on each side of the check valve assembly, and equipped with necessary test cocks for testing.
- (k) "User Connection" is the point of connection of a user's piping to the water supplier's facilities.
- (l) "Water Supplier" is the person who owns or operates the public water system.
- (m) "Water User" is any person obtaining water from a public water supply.

7584. Responsibility and scope of program

The water supplier shall protect the public water supply from contamination by implementation of a cross-connection control program. The program, or any portion thereof, may be implemented directly by the water supplier or by means of a contract with the local health agency, or with another agency approved by the health agency. The water supplier's cross-connection control program shall for the purpose of addressing the requirements of Sections 7585 through 7605 include, but not be limited to, the following elements:

- (a) The adoption of operating rules or ordinances to implement the cross-connection program.
- (b) The conducting of surveys to identify water user premises where cross-connections are likely to occur,
- (c) The provisions of backflow protection by the water user at the user's connection or within the user's premises or both,
- (d) The provision of at least one person trained in cross-connection control to carry out the cross-connection program,
- (e) The establishment of a procedure or system for testing backflow preventers, and
- (f) The maintenance of records of locations, tests, and repairs of backflow preventers.

7585. Evaluation of hazard

The water supplier shall evaluate the degree of potential health hazard to the public water supply which may be created as a result of conditions existing on a user's premises. The water supplier, however, shall not be responsible for abatement of cross-connections which may exist within a user's premises. As a minimum, the evaluation should consider: the existence of cross-connections, the nature of materials handled on the property, the probability of a backflow occurring, the degree of piping system complexity and the potential for piping system modification. Special consideration shall be given to the premises of the following types of water users:

- (a) Premises where substances harmful to health are handled under pressure in a manner which could permit their entry into the public water system. This includes chemical or biological process waters and water from public water supplies which have deteriorated in sanitary quality.
- (b) Premises having an auxiliary water supply, unless the auxiliary supply is accepted as an additional source by the water supplier and is approved by the health agency.
- (c) Premises that have internal cross-connections that are not abated to the satisfaction of the water supplier or the health agency.
- (d) Premises where cross-connections are likely to occur and entry is restricted so that cross-connection inspections cannot be made with sufficient frequency or at sufficiently short notice to assure that cross-connections do not exist.
- (e) Premises having a repeated history of cross-connections being established or re-established.

7586. User supervisor

The health agency and water supplier may, at their discretion, require an industrial water user to designate a user supervisor when the water user's premises has a multipiping system that convey various types of fluids, some of which may be hazardous and where changes in the piping system are frequently made. The user supervisor shall be responsible for the avoidance of cross-connections during the installation, operation and maintenance of the water user's pipelines and equipment.

ARTICLE 2. PROTECTION OF WATER SYSTEM

7601. Approval of backflow preventers

Backflow preventers required by this Chapter shall have passed laboratory and field evaluation tests performed by a recognized testing organization which has demonstrated their competency to perform such tests to the Department.

7602. Construction of backflow preventers

(a) Air-gap Separation. An Air-gap separation (AG) shall be at least double the diameter of the supply pipe, measured vertically from the flood rim of the receiving vessel to the supply pipe; however, in no case shall this separation be less than one inch.

(b) Double Check Valve Assembly. A required double check valve assembly (DC) shall, as a minimum, conform to the AWWA Standard C506-78 (R83) adopted on January 28, 1978 for Double Check Valve Type Backflow Preventive Devices which is herein incorporated by reference.

(c) Reduced Pressure Principle Backflow Prevention Device. A required reduced pressure principle backflow prevention device (RP) shall, as a minimum, conform to the AWWA Standard C506-78 (R83) adopted on January 28, 1978 for Reduced Pressure Principle Type Backflow Prevention Devices which is herein incorporated by reference.

7603. Location of backflow preventers

(a) Air-gap Separation. An air-gap separation shall be located as close as practical to the user's connection and all piping between the user's connection and the receiving tank shall be entirely visible unless otherwise approved in writing by the water supplier and the health agency.

(b) Double Check Valve Assembly. A double check valve assembly shall be located as close as practical to the user's connection and shall be installed above grade, if possible, and in a manner where it is readily accessible for testing and maintenance.

(c) Reduced Pressure Principle Backflow Prevention Device. A reduced pressure principle backflow prevention device shall be located as close as practical to the user's connection and shall be installed a minimum of twelve inches (12") above grade and not more than thirty-six inches (36") above grade measured from the bottom of the device and with a minimum of twelve inches (12") side clearance.

7604. Type of protection required.

The type of protection that shall be provided to prevent backflow into the public water supply shall be commensurate with the degree of hazard that exists on the consumer's premises. The type of protective device that may be required (listed in an increasing level of protection) includes: Double check Valve Assembly--(DC), Reduced Pressure Principle Backflow Prevention Device--(RP) and an Air gap Separation--(AG). The water user may choose a higher level of protection than required by the water supplier. The minimum types of backflow protection required to protect the public water supply, at the water user's connection to premises with various degrees of hazard, are given in Table 1. Situations not covered in Table 1 shall be evaluated on a case-by-case basis and the appropriate backflow protection shall be determined by the water supplier or health agency.

TABLE 1
TYPE OF BACKFLOW PROTECTION REQUIRED

Degree of Hazard	Minimum Type of Backflow Prevention
(a) Sewage and Hazardous Substances	
(1) Premises where there are waste water pumping and/or treatment plants and there is no interconnection with the potable water system. This does not include a single-family residence that has a sewage lift pump. A RP be provided in lieu of an AG if approved by the health agency and water supplier.	AG
(2) Premises where hazardous substances are handled in any manner in which the substances may enter the potable water system. This does not include a single-family residence that has a sewage lift pump. A RP may be provided in lieu of an AG if approved by the health agency and water supplier.	AG
(3) Premises where there are irrigation systems into which fertilizers, herbicides, or pesticides are, or can be, injected.	RP
(b) Auxiliary Water Supplies	
(1) Premises where there is an unapproved auxiliary water supply which is interconnected with the public water system. A RP or DC may be provided in lieu of an AG if approved by the health agency and water supplier.	AG
(2) Premises where there is an unapproved auxiliary RP water supply and there are no interconnections with the public water system. A DC may be provided in lieu of a RP if approved by the health agency and water supplier.	RP

(c) Recycled water

- | | |
|--|----|
| (1) Premises where the public water system is used to supplement the recycled water supply. | AG |
| (2) Premises where recycled water is used, other than as allowed in paragraph (3), and there is no interconnection with the potable water system. | RP |
| (3) Residences using recycled water for landscape irrigation as part of an approved dual plumbed use area established pursuant to sections 60313 through 60316 unless the recycled water supplier obtains approval of the local public water supplier, or the Department if the water supplier is also the supplier of the recycled water, to utilize an alternative backflow protection plan that includes an annual inspection and annual shutdown test of the recycled water and potable water systems pursuant to subsection 60316(a). | DC |

(d) Fire Protection Systems

- | | |
|--|----|
| (1) Premises where the fire system is directly supplied from the public water system and there is an unapproved auxiliary water supply on or to the premises (not interconnected). | DC |
| (2) Premises where the fire system is supplied from the public water system and interconnected with an unapproved auxiliary water supply. A RP may be provided in lieu of an AG if approved by the health agency and water supplier. | AG |
| (3) Premises where the fire system is supplied from the public water system and where either elevated storage tanks or fire pumps which take suction from private reservoirs or tanks are used. | DC |
| (4) Premises where the fire system is supplied from the public water system and where recycled water is used in a separate piping system within the same building. | DC |

(e) Dockside Watering Points and Marine Facilities

(1) Pier hydrants for supplying water to vessels for any purpose. RP

(2) Premises where there are marine facilities. RP

(f) Premises where entry is restricted so that inspections for cross-connections cannot be made with sufficient frequency or at sufficiently short notice to assure that do not exist. RP

(g) Premises where there is a repeated history of cross-connections being established or re-established. RP

Section 7605. Testing and maintenance of backflow preventers

(a) The water supplier shall assure that adequate maintenance and periodic testing are provided by the water user to ensure their proper operation.

(b) Backflow preventers shall be tested by persons who have demonstrated their competency in testing of these devices to the water supplier or health agency.

(c) Backflow preventers shall be tested at least annually or more frequently if determined to be necessary by the health agency or water supplier. When devices are found to be defective, they shall be repaired or replaced in accordance with the provisions of this Chapter.

(d) Backflow preventers shall be tested immediately after they are installed, relocated or repaired and not placed in service unless they are functioning as required.

(e) The water supplier shall notify the water user when testing of backflow preventers is needed. The notice shall contain the date when the test must be completed.

(f) Reports of testing and maintenance shall be maintained by the water supplier for a minimum of three years.

* * * * *